



# **TABLES ET POSTES D'EMBALLAGE SYSTEMES DE COUPE**



40 Chemin de Gérocourt - ZI du Coudrier - 95650 Boissy-l'Aillerie - France

Tél: +33(0)1.34.42.18.18 - Fax: +33(0)1.34.42.15.31

Site internet : [www.star-pack.fr](http://www.star-pack.fr) - E-mail : [info@star-pack.fr](mailto:info@star-pack.fr)



## Selection guide

	BASIC	SYSTEM 1200/ 1600	SYSTEM 2000	SYSTEM FLEX	MODUL 5000
Flexibility is important to us, it should be easy to adapt the table to accommodate future processes.					
Ergonomics at the workplace are a key issue for us.					
The design and look of the table are crucial aspects for us.					
We attach great value to an extensive range of accessories with numerous shelves, PC solutions, etc.					
Our packing tables are used for shift work or several people share them at any one time.					
Our requirements are extremely complex. In some areas we will definitely require custom solutions.					
A packing table that just offers the main functions is all we need. The solution must be inexpensive.					
We want to make a quick decision. Do you have complete, pre-configured packing tables?					

## PRODUCT DIVERSITY

Your idea is our mission

Pages 2 - 5



What role do ergonomics play at the workplace?

Pages 6 - 7



**SYSTEM BASIC**  
The practicable solution



**Pages 8 - 13**



SYSTEM 1600 Compact packing stations  
Inexpensive and compact

Pages 14 - 15



SYSTEM 2000  
The systematic solution

Pages 16 - 43



**SYSTEM FLEX**  
Combine the possibilities



**Pages 44 - 61**



MODUL 5000  
The fantastic solution

Pages 62 - 76



MODUL 5100 + MODUL 5200  
Work standing up or sitting down

Pages 77 - 79



CUTTING SYSTEMS  
Fast, safe, cost-saving

Pages 80 - 85



**ZA 530 CUTTING MACHINE**  
Flexible, cost-saving, modular



**Pages 86 - 87**



Product features

Page 88



# Your idea is our mission



Dear Business Partner,

We are delighted to present the new Hüdig + Rocholz catalogue.

This catalogue is the result of ongoing production developments, and showcases new additions to our product range.

One example is the SYSTEM BASIC, our perfect entry-level system with its persuasively attractive prices and even better accessories!

We have gone so far as to dedicate several double-page spreads to our new and individually combinable FLEX table system. This system will enable you to work even more ergonomically and efficiently than ever before. We're

especially proud of our award from the IGR, a German interest group of back-training teachers. After thorough testing, the IGR has confirmed that our SYSTEM FLEX is an ergonomic product, making it **the only IGR-certified packing table in the world** (as of 07.05.2015)!

Our never-ending goal is to inspire you with our products and service. One element towards achieving that aim is this catalogue, which presents you our premium-quality, market-oriented and modern solutions, and outlines our performance capabilities.

Our achievements are based on the expertise, commitment and creativity of our employees and partners, as well as on advanced and ecologically sound technologies.

We place our reliance on Germany as our manufacturing location and on an ISO 9001:2008-certified management system. As a medium-sized, owner-controlled company, our distinguishing characteristics are continuity and fairness, as well as know-how and flexibility, which enable us to provide products and solutions that you may not find in our catalogue.

Get in touch with us. We look forward to welcoming new customers and continuing our excellent relationships with existing partners!

Kind regards,  
Marc Rocholz



## Successful teamwork!

Together with your local dealer, we will help you to bring your project to fruition, beginning at the planning phase, through to the realisation, and finishing with the installation at your premises. Benefit from our long-standing experience and expertise.


The workplace plays a determining and often underestimated role when it comes down to productivity and optimising processes.

A dedicated department with extensive project experience makes sure, together with the local distributor, that the packing workplaces are not only ideally integrated into the product flow, but also that they satisfy ergonomic standards.



It is possible to lower processing times and increase order picking or packing output by around 20% through effective integration of the workplaces in the product flow, and by taking the downstream and upstream processes into consideration.

# Ergonomics at the workplace



## Ergonomics at the workplace

Investing in an ergonomically designed workplace will benefit both your employees' health and the efficiency and quality of the work they do. On average, employees are absent from work due to illness on around 12 days every year. If this downtime could be reduced by just 3 days with a sensibly designed workplace where the ergonomics are concerned, that would equate to annual cost savings of about €1,000 with each employee. The consequent increase in productivity can very quickly accumulate up to an additional €800-1000 per person and year. Your investment in an ideal packing table can therefore pay for itself in just 1 to 2 years.



## Solutions for a healthy workday

New industrial safety regulations prescribe basic safety measures to be observed when using work equipment. We will help you to put these regulations into practice.

### § 6

#### Grundlegende Schutzmaßnahmen bei der Verwendung von Arbeitsmitteln

(1) Der Arbeitgeber hat dafür zu sorgen, dass die Arbeitsmittel sicher verwendet und dabei die Grundsätze der Ergonomie beachtet werden. Dabei ist Anhang 1 zu beachten. Die Verwendung der Arbeitsmittel ist so zu gestalten und zu organisieren, dass Belastungen und Fehlbeanspruchungen, die die Gesundheit und die Sicherheit der Beschäftigten gefährden können, vermieden oder, wenn dies nicht möglich ist, auf ein Mindestmaß reduziert werden. Der Arbeitgeber hat darauf zu achten, dass die Beschäftigten in der Lage sind, die Arbeitsmittel zu verwenden, ohne sich oder andere Personen zu gefährden. Insbesondere sind folgende Grundsätze einer menschengerechten Gestaltung der Arbeit zu berücksichtigen:

1. die Arbeitsmittel einschließlich ihrer Schnittstelle zum Menschen müssen an die körperlichen Eigenschaften und die Kompetenz der Beschäftigten angepasst sein sowie biomechanische Belastungen vermeiden. Zu berücksichtigen sind hierbei die Arbeitsumgebung, die Lage der Zugriffstellen und des Schwerpunktes des Arbeitsmittels, die erforderliche Körperhaltung, die Körperbewegung, die Entfernung zum Körper, die benötigte persönliche Schutzausrüstung sowie die psychische Belastung der Beschäftigten,
2. die Beschäftigten müssen über einen ausreichenden Bewegungsfreiraum verfügen,


Figs. 1-4 Pneumatic lift table: Do you want to effortlessly lift or lower heavy packaging items and get them into the right gripping or working height? If so, the pneumatic lift table is just what you need, and it's also the ideal solution as an interface to the flow of materials.

Fig. 5 Inclined mounting profiles and sloping shelves support ergonomic movement at the packing station.

Fig. 6 Height adjustment with a folding crank - 710-960 mm: easily adjust the table to the right working height.

Fig. 7 Electrical height adjustment - 710-960 mm: featuring four saved settings and a height display, the table can be variably positioned to suit each employee.

Fig. 8 Workplace mats: These protect the joints and spinal discs, are slip-resistant, and offer sure footing at the workplace. The special structure of the underside of the workplace mats also means that the body stays in motion. This is good for the circulation, prevents fatigue, and reduces strain on one side of the body. Other versions are also available for entire aisles and are, as you would expect, suitable for use with pallet trucks.



We're delighted to present the very first\* and only\* packing table to have been certified by the IGR as being an ergonomic product. The SYSTEM FLEX creates the perfect conditions at the workplace for working economically, healthily and efficiently.

\*As of 07.05.2015

# PRACTICABLE







The overhauled SYSTEM BASIC is the inexpensive entry-level system for the packing world. Limited to the main components, the SYSTEM BASIC offers a budget table without having to sacrifice stability.

# SYSTEM BASIC



## PRACTICABLE

Reduced to the basic essentials!

The SYSTEM BASIC offers all the main functions at an attractive price.

## SYSTEM BASIC

The solution for application areas where every euro counts. This packing table meets the same demanding quality expectations we ourselves place in our products.


It has a working height of 850 mm, which can naturally be adjusted as required.

- Sturdy steel table with integrated bearing shells for holding a material roll shaft
- 19 mm worktop
- 100 kg surface load capacity
- Melamine resin-coated worktop
- Galvanised steel shelves
- Cutter with titanium-coated blade
- IT accessories for PC, monitor and keyboard
- Powder-coated steel parts: gentian blue RAL 5010

NEW features:

- Add-on storage rack made of square tubing
- Lockable drawer made of sheet steel
- Undertable cardboard storage rack made of square tubing
- Galvanised steel side table
- Galvanised steel backboard
- BASIC cutter stand for paper, foam and air bubble film
- Spindle for roll material above or underneath the table

 **QUALITY  
MADE  
IN GERMANY**



All measurements in mm



Our range of accessories offers numerous expandability options.

Extra shelving, IT accessories, drawers, containers, as well as mobile cupboard and drawer units. Detailed information can be found on the following pages.



# Plan and design

## SYSTEM BASIC



### SYSTEM BASIC packing and work table

- Sturdy steel construction
- Struts and legs made of square tubing
- Melamine resin-coated 19 mm table top
- Max. surface load 100 kg

Order no.	W x D x H (mm)
700001	1600 x 800 x 850
700002	2000 x 800 x 850



### Uprights

- For any combination of table accessories
- 1 set = 2 pcs.
- Height above table 1030 mm, slots every 200 mm

Order no.	W x D x H (mm)
700030	40 x 40 x 1266



### Bottom shelf

- Melamine resin-coated 19 mm sheet
- Max. surface load 50 kg
- Weight 19 kg


Order no.	W x D x H (mm)
700100	1525 x 650 x 19



### Add-on storage rack

- Square tubing
- Incl. 8 dividers
- Max. surface load 50 kg
- Weight 19 kg

Order no.	W x D x H (mm)
700050	1420 x 300 x 400



### Document shelf

- Galvanised sheet steel for attachment to uprights
- Max. surface load 50 kg
- Weight 6 kg

Order no.	W x D x H (mm)
700060	1425 x 253 x 114



### Storage shelf

- Galvanised sheet steel for attachment to uprights
- Max. surface load 25 kg
- Weight 15 kg

Order no.	W x D x H (mm)
700070	1430 x 400 x 58



### Drawer

- Made of sheet steel
- Lockable
- Load capacity 12.5 kg

Order no.	W x D x H (mm)
700120	513 x 530 x 160



### Container

- Mobile with 4 castors
- 2 lockable castors
- Load capacity 50 kg
- Sturdy plastic
- Weight 7 kg

Order no.	W x D x H (mm)
700110	610 x 416 x 495



### Drawer unit

- Sheet steel
- Mobile with 4 castors
- 2 lockable castors
- Four drawers
- Load capacity 35 kg per drawer
- Weight 42 kg

Order no.	W x D x H (mm)
3010	490 x 600 x 675

10.

**Cupboard unit**

- Sheet steel
- Mobile with 4 castors
- 2 lockable castors
- With 1 drawer and 1 cupboard door
- Load capacity 50 kg
- Weight 32 kg

Order no.	W x D x H (mm)
3011	490 x 600 x 675

11.

**Undertable cardboard storage rack**

- Square tubing
- Mobile with 4 castors
- 2 lockable castors
- Incl. 8 dividers
- Surface load 50 kg
- Weight 14 kg

Order no.	W x D x H (mm)
700080	1415 x 300 x 415

12.

**Side table**

- Square tubing
- Sheet steel table top
- Galvanised
- Max. surface load 100 kg
- Weight 20 kg

Order no.	W x D x H (mm)
700020	600 x 600 x 750

13.

**Add-on cutter**

- For attachment to uprights
- Cutting width 1250 mm
- Incl. shaft
- Galvanised
- Weight 12 kg

Order no.	W x D x H (mm)
700090	1500 x 175 x 20

14.

**Backboard**

- For attachment to uprights
- Sheet steel
- Galvanised
- Weight 2 kg

Order no.	W x D x H (mm)
700040	1515 x 4 x 70


15.

**PC holder with strap**

- For securing the PC underneath the table
- Weight 1 kg

Order no.	W x D x H (mm)
308100	Radius max. 1680

16.

**TFT monitor holder, Vesa 75/100**

- Incl. adapter for Vesa 75 and Vesa 100
- Weight 0.5 kg

Order no.	W x D x H (mm)
228120	200 x 100 x 100

17.

**Cutter stand**

- Horizontal
- With blades for foam, air bubble film, etc.
- Cutting width 1250 mm
- Max. roll weight 100 kg
- Max. roll diameter 1000 mm

Order no.	W x D x H (mm)
700130	1500 x 920 x 1100

18.

**Spindle between the uprights**

- For mounting material rolls
- Load capacity 20 kg

Order no.	W x D x H (mm)
700140	1425

19.

**Spindle underneath the table (between feet)**

- For mounting material rolls
- Load capacity 100 kg

Order no.	W x D x H (mm)
700150	1430



The different components of the SYSTEM BASIC allow you to design an individual workplace.

Experience shows that many needs can be covered by our basic system. And the attractive price means that it will quickly pay for itself!

# SYSTEM 1600



On page 80 you will find some interesting facts about the add-on cutter!



## SYSTEMATIC

The SYSTEM 1600 offers you two all-in-one solutions with either a bottom shelf and steel drawer or with a roll holder and add-on cutter - depending on what it is to be used for.

Do you need other accessories? That's no problem, as both all-in-one solutions can be extended with accessories from the SYSTEM range. You can also put together your own custom solution from the SYSTEM 1600 elements shown on the following pages. The SYSTEM 1600 has an adjustable height of between 690 mm and 960 mm as standard.





# All-in-one solution

## SYSTEM 1600

Complete packing station with 1600 mm wide table top, document shelf and cardboard storage rack

- Sturdy steel table
- 30 mm worktop
- 300 kg surface load capacity
- Light grey worktop coated with melamine resin
- Steel components with powder-coated finish, anthracite RAL 7016, ruby red RAL 3003

### Order no. 163001


**W x D x H (mm): 1600 x 800 x 690-960**

With bottom shelf (1145 x 650 x 19 mm)  
and steel drawer (520 x 500 x 150 mm)


### Order no. 163002

**W x D x H (mm): 1600 x 800 x 690-960**

Like 163001 but with cutter in silver-grey RAL 9007, cutter cartridges for paper and foils, cutting width 100 cm, spindle set with cones and bearing shells  
(without drawer and bottom shelf)



 **QUALITY  
MADE  
IN GERMANY**



All measurements in mm



The add-on cutter is supplied with two cutter cartridges. The smooth blade is for cutting foil and the round serrated blade is for paper and cardboard. The cartridges can be effortlessly replaced.

# SYSTEMATIC







A suitable solution for every requirement. The extensive range of accessories offers unlimited scope for combinations. Here we can show you just a few selected extension options. Your local dealer will be pleased to advise you about putting together the best packing table for your own requirements.



# SYSTEM 2000



## SYSTEMATIC

Classics, bestsellers, standard - these are terms we hear time and time again in conjunction with our SYSTEM 2000. "Extremely versatile and long-lasting" - that probably sums it up. The SYSTEM 2000 offers a multitude of combination possibilities. Beginning with the various types of tables through to the extensive range of accessories and suitable cutter stands, the system offers the ideal solution for all your needs.



## SYSTEM 2000


On the following pages we will show you several interesting solutions, regardless of whether you require a single, extremely efficient workplace, or you want to equip an entire logistics centre.

Here you will find further information about ergonomics and our extensive range of IT accessories. Key aspects of consignment processes are the flow of materials and weighing, which naturally also includes our roller track tables.

- Sturdy steel table
- 30 mm worktop
- 300 kg surface load capacity
- Light grey worktop, coated with melamine resin
- Steel components with powder-coated finish, anthracite RAL 7016, ruby red RAL 3003
- Optional height adjustment with a crank or electric motor
- Custom solutions as special designs
- Extensive range of accessories
- Flexible clamp mounting for accessories
- Tables with integrated scale and/or roller track



 **QUALITY  
MADE  
IN GERMANY**



If the work surface is too large, over time all kinds of things accumulate on it which don't belong there. Keep your workplace completely clear and orderly right from the outset with the appropriate accessories. This will save time and calm your nerves!

# SYSTEM 2000

## Special features at a glance:

- The SYSTEM 2000 can be expanded or upgraded whenever the need arises. This means that your products keep flowing when processes and demands change. At the same time you get a high degree of investment security.
- Daisy-chaining, integration and adaptation options offer countless possibilities from single workplaces up to complete packaging lines.
- With the SYSTEM 2000, everything is ergonomically arranged and ready to hand. This makes for a tidy and efficient workplace.
- The SYSTEM 2000 is versatile, and can be supplied as a packing table, roller track table, with an integrated scale, as well as with various height adjustments.
- Custom solutions. Together with your local specialist trading partner, we develop a custom solution with SYSTEM 2000 to meet your needs.



Alongside high quality standards, being located in Germany also means that we can guarantee short delivery times and efficiently supply accessories and spare parts.



## Surfaces

It goes without saying that we can offer you the right worktop for every application. As well as mechanical strain and which transport containers are being used, "soft" factors also play a role. We can fulfil your colour requirements as well as provide different woodgrain decors for a pleasant working atmosphere. For assembly work, for instance, we recommend a finger-jointed worktop. A brand new addition to the range is our cut-resistant surface, e.g. for cutting packing material to size at the workplace. Our melamine resin coating has proven to be a real all-rounder, which we supply as standard.

Melamine resin coating:  
For assembly and packing work


Conductive (ESD protection):  
For assembling and packing electronic assemblies

Plywood boards / multiplex:  
For extreme mechanical strain and loads

Stainless steel:  
For workplaces where people work with oil, acids or other fluids



You can protect the table top with a cut-resistant surface! See page 42 for more details.



Choose your preferred surface from our range. You can also combine it with all the other packing table systems!

Not only that, but you can even choose your favourite accentuating colour! Discuss your requirements with our trained sales partners – we'll be glad to help you!

# SYSTEM 2000





From page 30, put together your custom SYSTEM 2000 to suit your needs!



# SYSTEM 2000



## IT at the workplace

Today, IT is an indispensable element of most workplaces. That's why we have put together an especially extensive range of IT accessories for you. It includes holders for PCs and thin clients, various keyboard solutions such as the retracting keyboard drawer, or the folding keyboard tray, and monitor holders in different designs.

## Ergonomically integrated IT

- Holders for PCs, thin clients and notebooks
- Flexible monitor holders for different designs
- Ergonomic solutions for keyboard and mouse
- Printer platforms and trolleys for different printing systems
- Easy assembly
- Easy access for servicing
- Ongoing developments and adaptations to accommodate new technologies
- Other solutions available by request

Fig. A

The various TFT folding arms, as well as the keyboard and mouse platform with folding arm, can be individually combined with the supporting column, upright adapters or profile rails. The fastening system allows monitors to be easily installed (they can be secured with fixing screws).

Fig. B

Retracting printer shelf for label printers: Allows you to easily replace the printing media. Simply pull the shelf with the printer towards you for convenient access to the labels (rolls) and printing foil.

Fig. C

Printer trolley: Sturdy and mobile steel design, ideal for larger laser printers with tray, e.g. for paper.



Proper positioning of IT components is really easy with the special attachment options. But it also cuts down the workload for your IT support team since easy access is assured for reduced service downtimes.

# SYSTEM 2000

## Maximum flexibility

The roller track table for SYSTEM 2000

- With work surface as packing table
- Without work surface as transport/buffer table
- Optionally available with integrated scale



## Uninterrupted flow of materials

The flexibility of the SYSTEM 2000 enables you to integrate it in your order picking and packaging processes. Various interface solutions, together with adaptation and integration options, assure an uninterrupted flow of products. One example of this are the weighing systems integrated in the table or roller track, as well as the ball units. The modular design means that adaptations can be made in the future with little effort and at low cost. After all, it's not just the products that flow, but the processes as well.



## With the right scale, you can do more than just weigh things!

With a scale, the first thing that springs to mind is to weigh something. However, depending on the type of scale, it can do much more than just that. Counting scales, for example, can be helpful for order-picking small items or be used as "counting aids" in the incoming goods department. Linked to the ERP system or an article database recorded in the scale, weight plausibility checks can also be conducted during order picking. Supplemented by a barcode scanner and label printer, a large number of other solutions can also be realised. A suitable scale is available for every application purpose. Your specialist dealer will also consider this aspect during a personal consultation.



The scale can optionally also be positioned on the left or in the middle



Don't forget to take the upstream and downstream processes into account in your planning. How does the product get to the workplace, what's the next step? What happens with the empty transport containers, for instance?

# SYSTEM 2000



## Roller track tables

Roller track tables are the adaptive interface to the conveyor system and provide for smooth integration in the product flow. We can offer you different variations with and without a work surface, as well as with an integrated scale or height adjustment.

## Flexible and versatile

Our roller track head table is especially interesting. With this table, the roller track element is rotated by 90 degrees, and both the height and the angle can be adjusted.

This allows for both ergonomic positioning of the order picking container or packaging, as well as flexible integration in the product flow.

Our roller track tables are available in numerous combinations and designs:

- with and without work surface
- with integrated scale
- optional height adjustment with a crank
- roller track element parallel to the work surface or rotated by 90°
- adjustable angle on pure roller track tables
- suitable as a transport or buffer line
- custom solutions with rollers, small rollers or ball elements
- compatible with the accessories for SYSTEM 2000 work tables



360° view of the transverse  
roller track table at  
[www.huedig-rocholz.de](http://www.huedig-rocholz.de)



We are constantly active,  
just like your processes!  
Safeguard your future with  
flexible, extendable and ad-  
aptable systems!



# Tables

## SYSTEM 1200, SYSTEM 1600, SYSTEM 2000



### Packing and work table 1200

- Sturdy steel construction
- Struts and legs made of square tubing
- Foldable for transporting
- Standard height adjustment 690-960 mm
- Melamine resin-coated 30 mm table top
- The accessories for table width 1600 can be used for this table width
- Max. surface load 300 kg

Order no.	W x D x H (mm)
123034	1200 x 800 x 690-960



### Packing and work table 1600

- Sturdy steel construction
- Struts and legs made of square tubing
- Foldable for transporting
- Standard height adjustment 690-960 mm
- Melamine resin-coated 30 mm table top
- Max. surface load 300 kg

Order no.	W x D x H (mm)
163000	1600 x 800 x 690-960
163500	Adjustable height with crank 710-960 mm
163800	Adjustable height electrical 710-960 mm



### Packing and work table 2000

- Sturdy steel construction
- Struts and legs made of square tubing
- Foldable for transporting
- Standard height adjustment 690-960 mm
- Melamine resin-coated 30 mm table top
- Max. surface load 300 kg

Order no.	W x D x H (mm)
203000	2000 x 920 x 690-960
203500	Adjustable height with crank 710-960 mm
203800	Adjustable height electrical 710-960 mm



### Packing and work table with scale

- For non-legal-for-trade weighing, max. 60 kg
- Scale division 20 g
- Stainless steel platform
- With separate display unit
- Table as 203000

Order no.	W x D x H (mm)
203200	2000 x 920 x 690-960 Weighing area 400 x 500 mm
203530	Adjustable height with crank 710-960 mm Weighing area 400 x 500 mm
203830	Adjustable height electrical 710-960 mm Weighing area 400 x 500 mm



### Packing and work table with scale

- Calibrating scale, PC interface, max. 60 kg
- Scale division 20 g
- RS232 interface
- Stainless steel platform
- With separate display unit
- Table as 203000

Order no.	W x D x H (mm)
203210	2000 x 920 x 690-960 Weighing area 400 x 500 mm
203534	Adjustable height with crank 710-960 mm Weighing area 400 x 500 mm
203834	Adjustable height electrical 710-960 mm Weighing area 400 x 500 mm



### Roller track table with work surface

- Galvanised sheet steel work surface
- Work surface 1955 x 300 mm
- Roller width 600 mm
- Rollers 5 mm higher than work surface
- Max. surface load 150 kg

Order no.	W x D x H (mm)
203010	1955 x 920 x 690-960
203510	Adjustable height with crank 710-960 mm

The scale can optionally also be positioned on the left or in the middle!  
The scale display unit can be attached to a separately available bracket (p. 35).



#### Roller track table w/o work surface

- Struts and legs made of square tubing
- Standard height adjustment 690-960 mm
- Max. surface load 150 kg

Order no.	W x D x H (mm)
203020	1955 x 640 x 690-960
203520	Adjustable height with crank 710-960 mm



#### Roller track table w/o work surface, with scale

- For non-legal-for-trade weighing, max. 60 kg
- Scale division 20 g
- With separate display unit
- Max. surface load 150 kg

Order no.	W x D x H (mm)
203021	1955 x 640 x 690-960 Weighing area 600 x 600 mm
203521	Adjustable height with crank 710-960 mm



#### Roller track table w/o work surface, with scale

- Calibrating scale, PC interface, max. 60 kg
- Scale division 20 g
- With separate display unit
- Max. surface load 150 kg

Order no.	W x D x H (mm)
203022	1955 x 640 x 690-960 Weighing area 600 x 600 mm
203522	Adjustable height with crank 710-960 mm



#### Roller track table with work surface and scale

- For non-legal-for-trade weighing, max. 60 kg
- Scale division 20 g
- With separate display unit
- Max. surface load 150 kg

Order no.	W x D x H (mm)
203011	1955 x 920 x 690-960 Weighing area 600 x 600 mm
203511	Adjustable height with crank 710-960 mm



#### Roller track table with work surface and scale

- For legal-for-trade weighing, max. 60 kg
- Scale division 20 g
- With separate display unit
- Max. surface load 150 kg

Order no.	W x D x H (mm)
203012	1955 x 920 x 690-960 Weighing area 600 x 600 mm
203512	Adjustable height with crank 710-960 mm



#### Side guard for roller track tables

- Limiter for safely guiding packages and packing items on the roller track

Order no.	W x D x H (mm)
203540	1955 x 20 x 70



#### End stop for roller track tables

- Limiter for packages and packing items on the roller track

Order no.	W x D x H (mm)
203541	600 x 10 x 100



The uprights or mounting frame form the basis for all accessories fitted above the table (pages 34, 35). Please also note that suitably sized accessories are available for table widths 1600 and 2000. Your local dealer will be pleased to advise you about putting together the best solution for your own requirements.

## SYSTEM 1200, SYSTEM 1600, SYSTEM 2000

### Which upright fits which table?

Mounting upright	2062	2064	2065	2066	206411	206410
<b>Packing table</b>						
123034, 163000	●	●			●	
163500, 163800			●	●	●	
203000, 203200, 203210	●	●				●
203500, 203532, 203533, 203800, 203832, 203833			●	●		●
<b>Roller track table</b>						
203020, 203021, 203022, 203520, 203521, 203522						●
203010, 203011, 203012	●	●				●
203510, 203511 203512			●	●		●
<b>Use without table</b>					●	●



#### Uprights

- Short or long version
- With screw fitting to table legs
- Set = 2 pcs.

Order no.	W x D x H (mm)
2062	1170 mm, above table 485 mm Weight 6 kg
2064	1770 mm, above table 1085 mm Weight 8 kg
2065	1170 mm, above table 485 mm Weight 4 kg
2066	1770 mm, above table 1085 mm Weight 13 kg



#### Add-on frame for variable-height tables

- Alternative for attaching accessories
- Combinable with all the tables

Order no.	W x D x H (mm)
206410	For table width 2000 W x D x H (mm): 1800 x 810 x 1800 Weight 29 kg
206411	For table width 1600 W x D x H (mm): 1215 x 810 x 1800 Weight 26 kg



The uprights or mounting frame form the basis for all accessories fitted above the table (pages 34, 35). Please also note that suitably sized accessories are available for table widths 1600 and 2000. Your local dealer will be pleased to advise you about putting together the best solution for your own requirements.






# SYSTEM 2000 sample projects



New system



Retrofit




Assembly  
workplace



You will require the uprights or add-on frame to attach the accessories from this chapter!

# Accessories above the table


## SYSTEM 1200, SYSTEM 1600, SYSTEM 2000



**Perforated back panel®** RasterPlan

- Perforated panel for hooking on tools


Order no.	W x D x H (mm)
707016 For table width 1600	W x H 1500 x 450 Weight 9 kg
707116 For table width 1600	1/3 slotted panel and 2/3 perforated panel W x H 1500 x 450 Weight 9 kg
707020 For table width 2000	W x H 2000 x 450 Weight 12 kg
707090	<b>Hook assortment</b> 3 x single hooks 50 mm 3 x double hooks 75 mm, 3 x double hooks 150 mm 1x shelf 445 x 150 mm



**Document shelf**

- Made of sheet steel
- Flexible clamp assembly
- Max. surface load 25 kg


Order no.	W x D x H (mm)
1650 For table width 1600	W x H 1045 x 230 Weight 5 kg
2050 For table width 2000	W x H 1630 x 230 Weight 7 kg



**Cupboard system**

- Incl. brackets
- 2 lockable doors
- Shelves
- Dividers


Order no.	W x D x H (mm)
205600 For table width 2000	1760 x 330 x 585 Weight 66 kg



**Storage shelf**

- 30 mm melamine resin-coated wood
- Flexible clamp assembly
- Max. surface load 50 kg


Order no.	W x D x H (mm)
704740 For table width 1600	W x D 1046 x 400 Weight 6 kg
704750 For table width 2000	W x D 1600 x 400 Weight 15 kg



**Add-on storage rack**

- Dividers
- Flexible clamp assembly
- Max. surface load 50 kg

Order no.	W x D x H (mm)
1653 For table width 1600	1015 x 600 x 400 3 x small brackets 3 x large brackets Weight 20 kg
2053 For table width 2000	1600 x 600 x 400 5 x small brackets 4 x large brackets Weight 28 kg
1653D For table width 1600	Without dividers, etc. For installing retracting printer platform
2053D For table width 2000	Without dividers, e.g. for installing retracting printer platform



**Inclined shelf**

- Made of sheet steel
- Flexible clamp assembly
- Infinitely adjustable angle
- With raised edge
- Max. surface load 50 kg


Order no.	W x D x H (mm)
704700 For table width 1600	1045 x 450 x 60 Weight 10 kg
704800 For table width 2000	1630 x 450 x 60 Weight 20 kg



#### Workplace lighting

- For attachment to add-on storage rack (1653/2053) or bracket (207001/207002)
- With glare shield
- Lamp casing of anodised aluminium
- 2.9 m cable and safety plug
- Compact fluorescent lamps 2 x 36 W, 230 V

Order no.	W x D x H (mm)
207000	900 x 135 x 60 Weight 5 kg



#### Bracket for attaching workplace light

- For attachment to uprights
- For workplace light no. 207000


Order no.	W x D x H (mm)
207002 For table width 1600	1145 x 455 x 40 Weight 1 kg
207001 For table width 2000	1730 x 455 x 40 Weight 1 kg



#### Holder for scale display unit

- For flexible clamping to uprights

Order no.	W x D x H (mm)
2091	120 x 92 x 42 Weight 1 kg



#### Multifunctional spar

- For attaching further accessories

Order no.	W x D x H (mm)
704711 For table width 1600	1055 x 40 x 40 Weight 2 kg
704710 For table width 2000	1640 x 40 x 40 Weight 4 kg
705081	Multipurpose shelf 315 x 240 x 130 Weight 3 kg
704714	Holder incl. 5 stor- age bins, size 7



#### Utensil holder XXL

- For mounting on multifunctional spar 704711 / 704710
- incl. dividers

Order no.	W x D x H (mm)
705116 For table width 1600	800 x 200 x 90 Weight 6 kg
705100 For table width 2000	1616 x 200 x 90 Weight 7 kg



#### Holder for storage boxes

- Document shelf, suitable for A4 baskets
- Mounted under storage shelf 704750/704740
- Storage boxes not included

Order no.	W x D x H (mm)
707600	265 x 375 x 330 Interior dimensions 260 x 365 x 285 Weight 5 kg




All shelves are infinitely adjustable in the height for adapting them to your needs.



## Accessories on and underneath the table

### SYSTEM 1600, SYSTEM 2000



#### Backboard with power strip

- Power strip for use with sockets no. 2072
- Incl. plastic cover
- 4x socket strip

Order no.	W x D x H (mm)
208516 For table width 1600	1590 x 50 x 100 Weight 8 kg
208520 For table width 2000	1890 x 50 x 100 Weight 11 kg



#### Backboard

- Square tubing 40 x 40 mm


Order no.	W x D x H (mm)
126000 For table width 1200	1200 x 40 x 40 Weight 4 kg
166000 For table width 1600	1600 x 40 x 40 Weight 4 kg
206000 For table width 2000	2000 x 40 x 40 Weight 5 kg



#### Bottom shelf

- Max. surface load 50 kg


Order no.	W x D x H (mm)
160900 For table width 1600	1135 x 650 x 19 Weight 16 kg
200900 For table width 2000	1720 x 770 x 19 Weight 25 kg



#### Steel drawer

- Lockable
- For use on right and/or left underneath table
- Plastic guide rail
- With drawer stops
- Load capacity 35 kg

Order no.	W x D x H (mm)
200600	520 x 500 x 150 Interior dimensions: 460 x 495 x 120 Weight 9 kg



#### Two drawers

- Separately lockable
- For use on right and/or left underneath table
- Telescopic guide rail
- Load capacity per drawer 20 kg

Order no.	W x D x H (mm)
200620	520 x 500 x 320 Interior dimensions: 460 x 495 x 120 Weight 16 kg



#### Cupboard unit

- With 1 drawer and 1 cupboard door
- Separately lockable
- Cupboard door can be hung on right or left

Order no.	W x D x H (mm)
2011	535 x 600 x 785 Interior dimensions: 490 x 570 x 430 Weight 45 kg



#### Drawer unit

- With 3 drawers
- Central locking mechanism
- Retraction 420 mm
- Max. load 25 kg per drawer

Order no.	W x D x H (mm)
2010	535 x 600 x 785 Interior dimensions: 490 x 570 x 430 Weight 45 kg



#### Steel container

- Mobile
- With 4 castors, 2 with brake function
- With plastic insert for waste disposal
- Max. load capacity 30 kg.

Order no.	W x D x H (mm)
200800	500 x 650 x 525 Weight 18 kg



#### Castor set

- For variable height packing tables
- Set of 4 castors, 2 with brake function
- ø 125 mm
- Height 162 mm

Order no.	W x D x H (mm)
2030-2 For table width 1600 and table width 2000	ø 125



#### Undertable cutter, mobile

- Dispensing height 580 mm
- Order no. 25507, suitable for order nos. 2011 and 2010
- 4 castors, of which 2 are lockable
- Max. roll weight 200 kg
- Max. roll ø 750 mm

Order no.	W x D x H (mm)
25507	Cutting width 750 mm
25510	Cutting width 1000 mm
25512	Cutting width 1250 mm



#### Mobile roll dispenser

- Order no. 23107
- 4 castors, of which 2 are lockable
- Max. roll weight 200 kg
- Max. roll ø 500 mm

Order no.	W x D x H (mm)
23107	Max. roll width 750 mm
23110	Max. roll width 1000 mm
23112	Max. roll width 1250 mm



#### Add-on cutter

- Max. clamping range 70 mm
- Suitable for 203000 and 503000


Order no.	W x D x H (mm)
55107	Cutting width 750 mm
55110	Cutting width 1000 mm
55112	Cutting width 1250 mm



#### Spindle set, complete

- Spindle tube diameter 32 mm, for roll widths up to 1600 mm
- 1 pair of cones and clamp rings for adjusting roll and spindle
- Max. roll weight 100 kg

Order no.	W x D x H (mm)
23900	1850 x 32 Ø Weight 4 kg
23800	Horiz. bearing shell for roll spindle Weight 1 kg



#### Undertable storage rack, mobile

- One level, for approx. 100 folding cartons
- 4 castors, of which 2 are lockable
- Max. surface load 100 kg

Order no.	W x D x H (mm)
2042 Undertable storage rack, short, 1 level	1015 x 600 x 604 Weight 21 kg
2042-1 Undertable storage rack Short, 1 level, with telescopic handle	1015 x 600 x 690 Weight 23 kg



#### Undertable storage rack, mobile

- One level, for approx. 160 folding cartons
- 4 castors, of which 2 are lockable
- Max. surface load 100 kg

Order no.	W x D x H (mm)
2043 Undertable storage rack, long, 1 level	1600 x 600 x 604 Weight 27 kg
2043-1 Undertable storage rack, long, 1 level, with telescopic handle	1600 x 600 x 690 Weight 31 kg

## IT accessories

### SYSTEM 1200, SYSTEM 1600, SYSTEM 2000



#### Support column with screw clamp

- For attaching a TFT folding arm and a keyboard tray
- Aluminium profile with clamp attachment

Order no.	W x D x H (mm)
509001 Clamping range 14-40 mm	51 x 51 x 445 Weight 1.5 kg
509002 Clamping range 5-65 mm	51 x 51 x 445 Weight 2 kg



#### Profile rail for PC folding arms

- Upright attachment with 2 clamp sections
- With 3 fastening grooves
- Suitable for double workplaces
- Weight 2 kg

Order no.	W x D x H (mm)
509005	H: 750



#### TFT folding arms

- For flexible attachment of a TFT monitor
- VESA 75/100 quick-release attachment

Order no.	W x D x H (mm)
509203 Load capacity 5 kg	100 x 455 x 115 Weight 1.6 kg
509204 Load capacity 15 kg	100 x 455 x 200 Weight 2.1 kg



#### TFT support carriage

- For flexible attachment of a TFT monitor on the supporting column or adapter
- Load capacity 12 kg
- Weight 1 kg

Order no.	W x D x H (mm)
509202	100 x 125 x 115



#### Keyboard and mouse platform with folding arm

- For flexible attachment to the supporting column or adapter
- Load capacity 10 kg

Order no.	W x D x H (mm)
509201	Shelf size 640 x 172 mm



#### Upright adapter

- Adapter for folding arm and support carriage

Order no.	W x D x H (mm)
509003 For attaching 509201, 509202, 509203	47 x 67 x 120
509004 For attaching 509204	47 x 67 x 200



#### PC holder

- For mounting underneath packing table
- Incl. fastening screws and drilling template

Order no.	W x D x H (mm)
228100	100-242 x 150 x 320-545 Weight 3 kg
228101 Upright attachment for PC holder	130 x 240 x 120



#### Mini PC holder

- For mounting underneath packing table
- Interior height 205-360 mm
- Interior width 50-100 mm
- Weight 2 kg

Order no.	W x D x H (mm)
228110	160 x 115 x 240-395




#### Retracting keyboard and mouse platform

- Space-saving holder for mounting underneath storage shelf 704750
- Weight 2 kg

Order no.	W x D x H (mm)
208120	600 x 420 x 110





#### Keyboard and mouse platform

- With non-slip rubber surface for mounting on universal shelf 2082
- Weight 5 kg

Order no.	W x D x H (mm)
20812	760 x 210 x 20



#### Retracting printer platform

- For mounting on add-on storage rack no. 2053, 1653, 2053D, 1653D
- Weight 11 kg

Order no.	W x D x H (mm)
205350	375 x 658 x 100



#### Universal shelf

- For monitor, adhesive tape dispenser, etc.
- Clamp assembly on uprights
- Max. surface load 25 kg
- Weight 8 kg

Order no.	W x D x H (mm)
2082	440 x 520 x 90



#### Printer trolley, undertable version

- With storage tray for paper
- Mobile
- With 4 castors, 2 with brake function
- Load capacity 50 kg
- Weight 20 kg

Order no.	W x D x H (mm)
204250	500 x 600 x 240



#### 4-socket outlet

- Clamp assembly on uprights
- Incl. 2.90 m connecting cable
- Weight 1 kg

Order no.	W x D x H (mm)
2074	61 x 45 x 304

# Ergonomic accessories and lifting aids

## SYSTEM 1600, SYSTEM 2000

Information  
about ergo-  
nomics from  
page 6



**Floor mat made of soft PVC**

- With grid gaps

Order no.	W x D x H (mm)
600003	1000 x 600 Weight 4 kg
600001	1500 x 600 Weight 6 kg
600002	2000 x 600 Weight 8 kg



**Ergonomic workplace mat**

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface


Order no.	W x D x H (mm)
600004 Dry version	1350 x 1000 x 16 Weight 19 kg
600005 Wet version	1350 x 1000 x 16 Weight 18 kg



**Ergonomic workplace mat**

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface

Order no.	W x D x H (mm)
600014 Basic slim version	1000 x 650 x 10 Weight 6 kg
600015 Basic grip version	1000 x 650 x 13 Weight 7 kg



**Ergonomic workplace mat**

- Puzzle joint
- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface

Order no.	W x D x H (mm)
600007 Puzzle variant D	1300 x 1000 x 16 Weight 30 kg
600009 Puzzle variant E	1240 x 1000 x 16 Weight 15 kg



**ErgoPlus 3000 standing aid**

- Incl. foot rest
- Infinite adjustment of the seat cushion
- Collapsible
- Weight 12 kg

Order no.	W x D x H (mm)
519192	670 x 500 x 1100



**Saddle stool**

- Ergonomic saddle seat
- Seat tilt adjustment
- Adjustment range 630-890 mm
- Weight 10 kg

Order no.	W x D x H (mm)
852086	478 x 445 x 660



**Ergonomic swivel chair**

- Seat and back: synthetic leather upholstery
- Adjustment range 500-570 mm
- 360° module for "moving" sitting with individually adjustable spring force
- Cruciform base: plastic, black RAL 9005 with load-dependent, braked soft castors
- IGR-certified
- Weight 14 kg

Order no.	W x D x H (mm)
852087	450 x 440 x 500



**Footrest**

- With inclined tread surface

Order no.	W x D x H (mm)
5185	470 x 370 x 120



**Footrest**

- Variable height 110-320 mm
- Moveable plastic tread plate
- Adjustable angle: 0°-30°
- Weight 7 kg

Order no.	W x D x H (mm)
852038	520 x 375 x 140



**Corner tables**

Order no.	W x D x H (mm)
203100 Free-standing with 4 legs, max. load capacity 300 kg	960 x 920 x 690-960
203110 Attached, square with stand leg, max. surface load 50 kg	920 x 920 x 690-960
203120 Attached, trapezoid with stand leg, max. surface load 50 kg	920 x 700 x 690-960



**Side table for carton scale**

- Max. surface load 100 kg

Order no.	W x D x H (mm)
209000	600 x 600 x 770 Weight 17 kg
209034	600 x 600 x 605-875 Weight 19 kg



**Packing and order picking trolley**

- Height adjustment with gas pressure cylinder
- Max. load capacity 30 kg
- Weight 52 kg

Order no.	W x D x H (mm)
209040	680 x 870 x 670-960



**Pneumatic lift table**

- Allows effortless lifting and lowering of heavy cartons
- Requires 6 bar compressed air supply
- Weight 50 kg
- Max. load capacity 60 kg

Order no.	W x D x H (mm)
209100	600 x 600 x 500-710



**Pneumatic lift table, stainless steel platform**

- Stainless steel platform WxD 450x600 mm
- Lift height 500 mm
- Incl. foot switch
- Table prepared for bolting to floor
- Mounting materials not included
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg

Order no.	W x D x H (mm)
209101 Lift height 200-700 mm	450 x 735 x 1275



**Pneumatic lift table, stainless steel platform**

- Stainless steel platform WxD 450x600 mm
- Lift height 500 mm resp. 700 mm
- Incl. foot switch
- Table with pedestal base
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg

Order no.	W x D x H (mm)
209103 Lift height 250 - 750 mm	450 x 845 x 1320
209104 Lift height 250 - 950 mm	450 x 840 x 1720



## Other accessories

### SYSTEM 1600, SYSTEM 2000



#### Cut-resistant overlay

- Transparent
- For traceless cuts
- Lightly anti-slip surface

Order no.	W x D x H (mm)
509400	900 x 600 x 3 Weight 2 kg



#### Cut-resistant overlay

- Protects parts of the worktop against damage from mechanical strain
- Bonded to table top with the supplied adhesive pads

Order no.	W x D x H (mm)
203095 Stainless steel	1000 x 800 x 2 Weight 13 kg
203096 Galvanised sheet steel	1000 x 800 x 2 Weight 12 kg



#### Waste container made of PP cavity sheeting

- Mould and moisture-proof
- For hygienic applications, no fibre formation on the surface
- Shock-absorbing
- Set = 2 pcs.

Order no.	W x D x H (mm)
2056	600 x 500 x 600



#### Slice - Auto-Retractable Box Cutter

- Incl. one double-sided ceramic blade
- Automatically retractable blade
- 8-10 times sharper than a steel blade
- Easy blade change
- Injury-proof handling

Order no.	W x D x H (mm)
99090238	



#### Solo Lift Pro carry aid

- Practical, single-handed lifting aid for small, light boxes

Order no.	W x D x H (mm)
99090233	



#### Dual Lift Pro carry aid

- With 2 belt pouches
- Safe lifting of large and heavy cartons through effective load distribution

Order no.	W x D x H (mm)
99090234	



#### Display panel holder with magnetic attachment

- Display panel holder with 5 display panels, black
- Metal wall holder with magnetic back

Order no.	W x D x H (mm)
591401	



#### Display panel holder as table stand-up display

- Complete set made of powder-coated steel for table top use
- L-shaped, metal table stand-up display with 10 display panels, assorted colours

Order no.	W x D x H (mm)
557000	



#### A4 display panel

- 5 display panels
- Polypropylene display panels with black all-round profile frame
- For DIN A4 info sheets


Order no.	W x D x H (mm)
560601	



#### Mobile hanging frame

- 360° swivel mounting


Order no.	W x D x H (mm)
2046	1050 x 700 x 2100-3500 Weight 50 kg
802045 Extension strut with bracket	Weight 2 kg



#### Mobile cardboard storage rack

- Two levels
- With handle

Order no.	W x D x H (mm)
2042-2 Cardboard storage rack, short For approx. 200 folding cartons	1015 x 600 x 1260 Weight 42 kg
2043-2 Cardboard storage rack, long, For approx. 320 folding cartons	1600 x 600 x 1260 Weight 58 kg




#### Mobile cardboard storage rack

- Three levels
- With handle

Order no.	W x D x H (mm)
2042-3 Cardboard storage rack, short For approx. 300 folding cartons	1015 x 600 x 1860 Weight 64 kg
2043-3 Cardboard storage rack, long, For approx. 480 folding cartons	1600 x 600 x 1860 Weight 88 kg

# SYSTEMATIC







Horizontally adjustable H+R mounting profile



The H+R mounting profiles are the real star of the SYSTEM FLEX. Lateral grooves are used for the infinitely variable attachment of components such as perforated back panels, monitor swivel arms and other accessories. The front sides have a grid perforation of 39:39 mm for quickly hanging on shelves, retracting platforms, roll holders and other components without screws.



# SYSTEM FLEX



## Combine the possibilities

Ergonomics play a key role, but not at the expense of flexibility. The top section of the mounting profile can be mounted upright or inclined by 20 degrees. This significantly improves the grip position of the shelves and accessories. By detaching the uprights from the table leg, the structures can additionally be moved horizontally to any position to accommodate conveyor system connections, for instance.



## Special features at a glance:

- The HR profile tube combines the advantages of an aluminium profile and a sturdy steel construction to create a totally innovative and exceedingly flexible concept.
- The front sides of the HR mounting profiles have a grid perforation of 39:39 mm for quickly hanging on shelves, roll holders and other components without screws. This means that you can easily adapt the table to suit your processes, even when they change.
- The lateral grooves are used to attach components such as perforated back panels, monitor swivel arms and other accessories and flexibly adjust their height. New accessories can be easily added as required.
- The top section of the HR mounting profile can be mounted upright or inclined by 20 degrees. This significantly improves the grip position of the add-on parts! The grip area becomes more ergonomic for the workers. The carrier arms can also be mounted at an angle of -10°, 0° and +10°. This results in numerous combination possibilities.
- By detaching the uprights from the table leg, the structures can also be infinitely moved horizontally on the frame to accommodate conveyor system connections, for instance.
- The only packing table that has been certified by the German interest group of back-training teachers as an ergonomic product (as of 08.05.15).
- Daisy-chaining, integration and adaptation options offer countless possibilities from single workplaces up to complete packaging lines.




 **QUALITY  
MADE  
IN GERMANY**



"Switching to the FLEX table system has resulted in a time optimisation of 20% per order in our delivery department. At the same time, our employees are motivated and relaxed when they finish work. We hadn't reckoned with that."

Jan H., logistics manager

# SYSTEM FLEX






From page 50, put together a SYSTEM FLEX station to meet your specific needs!



# Basic table

## SYSTEM FLEX



### SYSTEM FLEX basic table

Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 690-960 mm with clamping screws, worktop 30 mm thick, melamine resin coating, light grey surface with 2 mm ABS edge, functional struts in accentuating colour, max. surface load 300 kg


Dimensions	Accentuating colour	Order no.
W x D x H: 1200 x 800 x 690-960 mm	Ruby red	73000000
W x D x H: 1200 x 800 x 690-960 mm	Gentian blue	73000001
W x D x H: 1600 x 800 x 690-960 mm	Ruby red	73000100
W x D x H: 1600 x 800 x 690-960 mm	Gentian blue	73000101
W x D x H: 2000 x 800 x 690-960 mm	Ruby red	73000200
W x D x H: 2000 x 800 x 690-960 mm	Gentian blue	73000202



### SYSTEM FLEX basic table with electrical height adjustment

Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 720-1120 mm with electric motor, worktop 30 mm thick, melamine resin coating, light grey surface with 2 mm ABS edge, functional struts in accentuating colour, max. surface load 300 kg


Dimensions	Accentuating colour	Order no.
W x D x H: 1200 x 800 x 720-1120 mm	Ruby red	73000600
W x D x H: 1200 x 800 x 720-1120 mm	Gentian blue	73000601
W x D x H: 1600 x 800 x 720-1120 mm	Ruby red	73000700
W x D x H: 1600 x 800 x 720-1120 mm	Gentian blue	73000701
W x D x H: 2000 x 800 x 720-1120 mm	Ruby red	73000800
W x D x H: 2000 x 800 x 720-1120 mm	Gentian blue	73000801



### SYSTEM FLEX Table frame M

Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 720-1120 mm with clamp screws, functional struts in accentuating colour

Dimensions	Accentuating colour	Order no.
W x D x H: 1200 x 800 x 690-960 mm	Ruby red	73100000
W x D x H: 1200 x 800 x 690-960 mm	Gentian blue	73100001
W x D x H: 1600 x 800 x 690-960 mm	Ruby red	73100900
W x D x H: 1600 x 800 x 690-960 mm	Gentian blue	73100901
W x D x H: 2000 x 800 x 690-960 mm	Ruby red	73100202
W x D x H: 2000 x 800 x 690-960 mm	Gentian blue	73100201




### SYSTEM FLEX table frame E with electrical height adjustment

Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 690-1090 mm with electric motor, functional struts in accentuating colour

Dimensions	Accentuating colour	Order no.
W x D x H: 1200 x 800 x 690-1090 mm	Ruby red	73100600
W x D x H: 1200 x 800 x 690-1090 mm	Gentian blue	73100601
W x D x H: 1600 x 800 x 690-1090 mm	Ruby red	73100700
W x D x H: 1600 x 800 x 690-1090 mm	Gentian blue	73100701
W x D x H: 2000 x 800 x 690-1090 mm	Ruby red	73100800
W x D x H: 2000 x 800 x 690-1090 mm	Gentian blue	73100801

# Worktops


## SYSTEM FLEX



### SYSTEM FLEX table top

- 30 mm worktop
- Melamine resin coating
- Light grey surface with 2 mm ABS edge


Order no.	W x D x H (mm)
73200010 Standard	1200 x 800 x 30
73200300 ESD conductivity as per IEC 61340-5-1	1200 x 800 x 30
73200110 Standard	1600 x 800 x 30
73200400 ESD conductivity as per IEC 61340-5-1	1600 x 800 x 30
73200210 Standard	2000 x 800 x 30
73200500 ESD conductivity as per IEC 61340-5-1	2000 x 800 x 30



### Table top, stainless steel cover

- 30 mm worktop


Order no.	W x D x H (mm)
73202100	1200 x 800 x 30
73202200	1600 x 800 x 30
73202300	2000 x 800 x 30



### Table tops with scale cutout

- 30 mm worktop
- Melamine resin coating
- Light grey surface with 2 mm ABS edge
- Scale cutout: W x D: 516x416 mm
- Scale cutout left or right

Order no.	W x D x H (mm)
73200610 Standard	1200 x 800 x 30
73200700 Standard	1600 x 800 x 30
73200800 Standard	2000 x 800 x 30




### Table tops with scale cutout

- 30 mm worktop
- Melamine resin coating
- Light grey surface with 2 mm ABS edge
- Scale cutout: W x D: 516x416 mm
- Scale cutout in centre

Order no.	W x D x H (mm)
73201200 Standard	1200 x 800 x 30
73201300 Standard	1600 x 800 x 30
73201400 Standard	2000 x 800 x 30


For table tops with a scale cutout, a mounting plate must be ordered to integrate a scale. Order no. 73203700



### Multiplex table top

- 30 mm worktop, oiled

Order no.	W x D x H (mm)
73202400 Multiplex	1200 x 800 x 30
73202700 Finger-jointed	1200 x 800 x 30
73202500 Multiplex	1600 x 800 x 30
73202800 Finger-jointed	1600 x 800 x 30
73202600 Multiplex	2000 x 800 x 30
73202900 Finger-jointed	2000 x 800 x 30




### Bottom shelf

- Max. surface load 50 kg

Order no.	W x D x H (mm)
73300400 Standard	1195 x 650 x 19
73300700 ESD	1195 x 650 x 19
73300500 Standard	1595 x 650 x 19
73300800 ESD	1595 x 650 x 19
73308400 Standard	1995 x 650 x 19
73300900 ESD	1995 x 650 x 19

# SYSTEM FLEX mounting profiles and shelves


The HR mounting profile combines the advantages of an aluminium profile and sturdy steel structure to create an innovative, flexible concept.



## HR mounting profile, long

- With 2 functional grooves
- With 2 rows of system perforations
- Divided for upright or inclined mounting


Order no.	W x D x H (mm)
73308000 Long version (1.)	1745 x 40 x 40
73308100 Assembly set for inclined installation (2.)	1745 x 40 x 40



## HR mounting profile, short (basic)

- With 2 functional grooves
- With 2 rows of system perforations
- Height above table: 520 mm

Order no.	W x D x H (mm)
73309200 (3.)	1055 x 40 x 40




## Retracting shelf

- For screwing into system grooves in mounting profiles
- Adjustable height in system perforations
- Ideal for label printers

Order no.	W x D x H (mm)
73303600 Ruby red	800 x 500 x 140
73303601 Gentian blue	800 x 500 x 140
73303702 Ruby red	1000 x 500 x 140
73303701 Gentian blue	1000 x 500 x 140


## Shelves

For hooking into the system perforations in the mounting profiles, for inclining at -10°, 0° and +10°. Different widths and depths at two heights allow for countless combinations. The shelves are prepared for the use of shelf dividers and stop brackets. Shelf types A and type B are supplied with carrier arms.



## Shelves, type A

Order no.	W x D x H (mm)
73306900 Ruby red	800 x 200
73306901 Gentian blue	800 x 200
73307000 Ruby red	800 x 300
73307001 Gentian blue	800 x 300
73307100 Ruby red	800 x 400
73307101 Gentian blue	800 x 400
73307200 Ruby red	1000 x 200
73307201 Gentian blue	1000 x 200
73307300 Ruby red	1000 x 300
73307301 Gentian blue	1000 x 300
73307400 Ruby red	1000 x 400
73307401 Gentian blue	1000 x 400



## Shelves, type B

Order no.	W x D x H (mm)
73307500 Ruby red	800 x 300
73307501 Gentian blue	800 x 300
73307600 Ruby red	1000 x 300
73307601 Gentian blue	1000 x 300

## Please note for two-sided shelving:

You require one type B shelf with high support arms respectively for level shelving on the inclined upright and inclined shelving on the straight upright.

## SYSTEM FLEX lamps and lighting accessories



### Workplace lighting

- 73308900 T5 lamps with conical prismatic shade
- 73309000 LED technology
- Without connecting cable

Order no.	W x D x H (mm)
73308900 T5 39 W	899 x 50 x 187
7330900 LED 33 W	899 x 50 x 187
73310200 Power cord 3 m	
73311400 Connecting cable 2.5 m	



### Lighting fixtures

- 2x tube for pipe shelf for screwing onto carrier arms
- 1x assembly set

Order no.	W x D x H (mm)
73306700 For mounting width 800 mm	
73306800 For mounting width 1000 mm	



### Carrier arm

- For hooking the lighting fixture directly onto the HR mounting profile
- Three carrier arms are required

Order no.	W x D x H (mm)
73301200 Ruby red	400
73301201 Gentian blue	400

The power cord and/or connecting cable for the workplace lighting must be ordered separately.

## SYSTEM FLEX scales and weighing accessories



### Digital table scale 60 kg

- Evaluation unit made of ABS plastic
- 2 m measuring cable with plug connector
- 230 V mains connection via external power adapter, 1.8 m cable
- Powder-coated, stainless steel weighing platform, W x D: 500x400 mm, for max. weight 60 kg, 20 g scale divisions, 1 strain gauge load cell made of anodised aluminium alloy, IP 66


Order no.	W x D x H (mm)
897052	400 x 500 x 82 Weighing area



### Digital table scale, 60 kg, with calibration function, PC connection

- Stainless steel evaluation unit, protection class IP 67, 25 mm LCD display for gross, net or tare weight, tare correction, 10 customisable printouts, 1 RS232 serial port
- Powder-coated, stainless steel weighing platform, WxD: 500x400 mm, for max. weight 60 kg, 20 g scale divisions, 1 strain gauge load cell of anodised aluminium alloy, IP 66

Order no.	W x D x H (mm)
897062	400 x 500 x 82 Weighing area




### Holder for scale display unit

- For flexible attachment of a scale display unit to the mounting profile with the supplied adapter
- Data cable must have a min. length of 2000 mm.
- Load capacity 15 kg

Order no.	W x D x H (mm)
73310700	325




## SYSTEM FLEX accessories



### Perforated back panel

- For screwing into system grooves in HR mounting profiles
- Infinitely variable height, fits flush at the front and back (in the depth) with the HR mounting profiles


Order no.	W x D x H (mm)
73305900 Ruby red	1000 x 30 x 100
73305901 Gentian blue	1000 x 30 x 100
73302300 Ruby red	1000 x 30 x 200
73302301 Gentian blue	1000 x 30 x 200
73306002 Ruby red	1000 x 30 x 500
73306001 Gentian blue	1000 x 30 x 500
73305500 Ruby red	800 x 30 x 100
73305501 Gentian blue	800 x 30 x 100
73302200 Ruby red	800 x 30 x 200
73302201 Gentian blue	800 x 30 x 200
73303400 Ruby red	800 x 30 x 500
73303401 Gentian blue	800 x 30 x 500



### Partition

- Angled, for flexible positioning anywhere on the shelf to create different storage widths


Order no.	W x D x H (mm)
73311700 200 mm deep shelves	D x H 200 x 180
73311800 300 mm deep shelves	D x H 300 x 180



### Cover rail

- For mounting between HR mounting profiles when using a combination of front and rear shelves, level installation

Order no.	W x D x H (mm)
73312000 For mounting width 800 mm	736 x 73 x 30
73312100 For mounting width 1000 mm	936 x 73 x 30



### Cover rail for double workplaces

- For installation between the HR mounting profiles

Order no.	W x D x H (mm)
73600050	800 x 40
73312900	1000 x 40



### Stop edge

- For screwing onto the front of a shelf
- Continuous edge when using the full shelf depth

Order no.	W x D x H (mm)
73302000 Ruby red	800
73302001 Gentian blue	800
73309400 Ruby red	1000
73309401 Gentian blue	1000



### Utensils rack, complete

- For hooking into the system perforations in the HR mounting profiles
- For storing rolls of adhesive tape, etc.
- Incl. 4 dividers


Order no.	W x D x H (mm)
73312600	1000 x 200
73312601	1000 x 200
73312500	800 x 200
73312501	800 x 200



#### Stop bracket

- For inserting into the shelf perforation rows

Order no.	W x D x H (mm)
73301900	250



#### Shelf dividers

- For inserting into the shelf perforations
- Open shelf divider
- Set = 4 pcs.

Order no.	W x D x H (mm)
73308800	300 x 400



#### Single drawers, lockable

- Front height: 150 mm
- Incl. assembly set
- Load capacity 35 kg

Order no.	W x D x H (mm)
73305100 Ruby red	527 x 630 x 225 Interior dimensions: 459 x 442 x 125
73305101 Gentian blue	527 x 630 x 225 Interior dimensions: 459 x 442 x 125



#### Double drawers, lockable

- Front height: 150 mm
- Central locking, incl. assembly set
- Load capacity per drawer 35 kg


Order no.	W x D x H (mm)
73305300 Ruby red	527 x 630 x 380 Interior dimensions: 459 x 442 x 125
73305301 Gentian blue	527 x 630 x 380 Interior dimensions: 459 x 442 x 125



#### Add-on cutter

- Cutting width 750 mm
- For hooking on to the HR mounting profile

Order no.	W x D x H (mm)
73303900	1000 x 50 x 150



#### Spindle set, complete

- Comprising: 1 pair of cones, 4 clamp rings, 1 spindle
- Spindle tube diameter 32 mm
- Max. roll weight 100 kg

Order no.	W x D x H (mm)
73313100 For table width 1200	
73313200 For table width 1600	
73313300 For table width 2000	



#### Roll holder

- For screw attachment to HR mounting profile
- Max. roll weight 25 kg
- Max. roll width 750 mm
- Max. roll diameter 800 mm

Order no.	W x D x H (mm)
73304000	1000 x 450



#### Holder for adhesive tape dispenser

- For attachment to HR mounting profile
- Suitable for many common dispensers

Order no.	W x D x H (mm)
73308200	95 x 38 x 78

## SYSTEM FLEX IT accessories



### Thin client holder

- For screwing into the system grooves in the HR mounting profile
- Infinitely variable height adjustment

Order no.	W x D x H (mm)
73308300	300 x 70-120



### Mini PC holder

- For mounting underneath the table, adjustable:  
interior height 205-360 mm,  
interior width 50-100 mm
- Incl. fastening screws and drilling template

Order no.	W x D x H (mm)
228110	160 x 115 x 240-395



### PC holder

- For mounting underneath the table, adjustable:  
interior height 307-531 mm,  
interior width 78-220 mm
- Incl. fastening screws and drilling template
- Weight 3 kg

Order no.	W x D x H (mm)
228100	100-242 x 150 x 320-545



### TFT folding arms

- For flexible attachment of a TFT monitor to the HR mounting profile
- VESA 75/100 quick-release attachment

Order no.	W x D x H (mm)
509203 Load capacity 5 kg	100 x 455 x 115 Weight 1.6 kg
509204 Load capacity 15 kg	100 x 455 x 200 Weight 2.1 kg



### Keyboard and mouse platform with folding arm

- For flexible attachment to the HR mounting profile
- Shelf area: 640x172 mm
- Load capacity 10 kg

Order no.	W x D x H (mm)
509201	640 x 508 x 120



### Adapter for TFT folding arms 509204 and 509203

- For attaching TFT folding arms to inclined HR mounting profiles
- For positioning as required in the system grooves

Order no.	W x D x H (mm)
73313600	



### Shelves incl. retracting keyboard tray

- Incl. carrier arms
- Shelf and keyboard drawer with retracting mouse tray
- Horizontal sliding adjustment


Order no.	W x D x H (mm)
73308600 Ruby red	800
73308601 Gentian blue	800
73308700 Ruby red	1000
73308701 Gentian blue	1000



### Cable tray

- For attachment to the table functional struts


Order no.	W x D x H (mm)
73600088	600 x 125 x 116
73600026	800 x 125 x 116



### Cable duct

- For attachment to shelves
- Can also be used as a cover rail on double-sided shelves


Order no.	W x D x H (mm)
73312700	730 x 72 x 93
73312800	930 x 72 x 93



#### Cable clips

- For cable management on HR profile up-rights
- Set = 10 pcs.


Order no.	W x D x H (mm)
73312200	69 x 35 x 12



#### 4-socket outlet

- For attachment to the HR mounting profile using the supplied assembly set
- Power connection 230 V, 16 A


Order no.	W x D x H (mm)
73311601 White, without power cord	61 x 45 x 304
73311600 Black, without power cord	61 x 45 x 304
73310200 Power cord 3 m	
73311400 Connecting cable 2.5 m	



#### Holder for pens, cable ties, etc.

- Incl. bracket for attaching to HR mounting profiles


Order no.	W x D x H (mm)
73600086	80 x 250



#### Drawer with extension

- Horizontal sliding adjustment
- Retracting drawer
- For mounting underneath shelf sizes 400 mm or 2x200 mm

Order no.	W x D x H (mm)
73600040	771 x 364 x 74
73600015	971 x 364 x 74



#### Retracting tray

- 110% extension
- Usable area 500x500 mm
- Load capacity 50 kg

Order no.	W x D x H (mm)
73312300 Ruby red	580 x 500 x 140
73312301 Gentian blue	580 x 500 x 140



# Ergonomic accessories and lifting aids

## SYSTEM FLEX

Information  
about ergo-  
nomics from  
page 6



**Floor mat made of soft PVC**

- With grid gaps

Order no.	W x D x H (mm)
600003	1000 x 600 Weight 4 kg
600001	1500 x 600 Weight 6 kg
600002	2000 x 600 Weight 8 kg



**Ergonomic workplace mat**

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface


Order no.	W x D x H (mm)
600004 Dry version	1350 x 1000 x 16 Weight 19 kg
600005 Wet version	1350 x 1000 x 16 Weight 18 kg



**Ergonomic workplace mat**

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface

Order no.	W x D x H (mm)
600014 Basic slim version	1000 x 650 x 10 Weight 6 kg
600015 Basic grip version	1000 x 650 x 13 Weight 7 kg



**Ergonomic workplace mat**

- Puzzle joint
- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface

Order no.	W x D x H (mm)
600007 Puzzle variant D	1300 x 1000 x 16 Weight 30 kg
600009 Puzzle variant E	1240 x 1000 x 16 Weight 15 kg



**ErgoPlus 3000 standing aid**

- Incl. foot rest
- Infinite adjustment of the seat cushion
- Collapsible
- Weight 12 kg

Order no.	W x D x H (mm)
519192	670 x 500 x 1100



**Saddle stool**

- Ergonomic saddle seat
- Seat tilt adjustment
- Adjustment range 630-890 mm
- Weight 10 kg

Order no.	W x D x H (mm)
852086	478 x 445 x 660



**Ergonomic swivel chair**

- Seat and back: synthetic leather upholstery
- Adjustment range 500-570 mm
- 360° module for "moving" sitting with individually adjustable spring force
- Cruciform base: plastic, black RAL 9005 with load-dependent, braked soft castors
- IGR-certified
- Weight 14 kg

Order no.	W x D x H (mm)
852087	450 x 440 x 500



**Footrest**

- With inclined tread surface

Order no.	W x D x H (mm)
5185	470 x 370 x 120



**Footrest**

- Variable height 110-320 mm
- Moveable plastic tread plate
- Adjustable angle: 0°-30°
- Weight 7 kg

Order no.	W x D x H (mm)
852038	520 x 375 x 140



#### Packing and order picking trolley

- Height adjustment with gas pressure cylinder
- Max. load capacity 30 kg
- Weight 52 kg

Order no.	W x D x H (mm)
209040	680 x 870 x 670-960



#### Pneumatic lift table

- Allows effortless lifting and lowering of heavy cartons
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg
- Weight 50 kg

Order no.	W x D x H (mm)
209100	600 x 600 x 500-710



#### Pneumatic lift table, stainless steel platform

- Stainless steel platform W x D 450x600 mm
- Lift height 500 mm resp. 700 mm
- Incl. foot switch
- Table prepared for bolting to floor
- Mounting materials not included
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg

Order no.	W x D x H (mm)
209101 Lift height 200-700 mm	450 x 735 x 1275
209102 Lift height 200-900 mm	450 x 735 x 1675



#### Pneumatic lift table, stainless steel platform

- Stainless steel platform  
W x D 450x600 mm
- Lift height 500 mm resp. 700 mm
- Incl. foot switch
- Table with pedestal base
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg

Order no.	W x D x H (mm)
209103 Lift height 250-750 mm	450 x 845 x 1320
209104 Lift height 250-950 mm	450 x 840 x 1720

## Other accessories

### SYSTEM FLEX



#### Cut-resistant overlay

- Transparent
- For traceless cuts
- Lightly anti-slip surface

Order no.	W x D x H (mm)
509400	900 x 600 x 3 Weight 2 kg



#### Cut-resistant overlay

- Protects parts of the worktop against damage from mechanical strain
- Bonded to worktop with the supplied adhesive pads


Order no.	W x D x H (mm)
203095 Stainless steel	1000 x 800 x 2 Weight 13 kg
203096 Galvanised sheet steel	1000 x 800 x 2 Weight 12 kg



#### Waste container made of PP cavity sheeting

- Mould and moisture-proof
- For hygienic applications, no fibre formation on the surface
- Shock-absorbing
- Set = 2 pcs.

Order no.	W x D x H (mm)
2056	600 x 500 x 600



#### Slice - Auto-Retractable Box Cutter

- Incl. one double-sided ceramic blade
- Automatically retractable blade
- 8-10 times sharper than a steel blade
- Easy blade change
- Injury-proof handling

Order no.	W x D x H (mm)
99090238	



#### Solo Lift Pro carry aid

- Practical, single-handed lifting aid for small, light boxes

Order no.	W x D x H (mm)
99090233	



#### Dual Lift Pro carry aid

- With 2 belt pouches
- Safe lifting of large and heavy cartons through effective load distribution

Order no.	W x D x H (mm)
99090234	



#### Display panel holder with magnetic attachment

- Display panel holder with 5 display panels, black
- Metal wall holder with magnetic back

Order no.	W x D x H (mm)
591401	



#### Display panel holder as table stand-up display

- Complete set made of powder-coated steel for table top use
- L-shaped, metal table stand-up display with 10 display panels, assorted colours

Order no.	W x D x H (mm)
557000	



#### A4 display panel

- 5 display panels
- Polypropylene display panels with black all-round profile frame
- For DIN A4 info sheets


Order no.	W x D x H (mm)
560601	



#### Mobile hanging frame

- 360° swivel mounting


Order no.	W x D x H (mm)
2046	1050 x 700 x 2100-3500 Weight 50 kg
802045 Extension strut with bracket	Weight 2 kg



#### Mobile cardboard storage rack

- Two levels
- With handle

Order no.	W x D x H (mm)
2042-2 Cardboard storage rack, short For approx. 200 folding cartons	1015 x 600 x 1260 Weight 42 kg
2043-2 Cardboard storage rack, long, For approx. 320 folding cartons	1600 x 600 x 1260 Weight 58 kg



#### Mobile cardboard storage rack

- Three levels
- With handle

Order no.	W x D x H (mm)
2042-3 Cardboard storage rack, short For approx. 300 folding cartons	1015 x 600 x 1860 Weight 64 kg
2043-3 Cardboard storage rack, long, For approx. 480 folding cartons	1600 x 600 x 1860 Weight 88 kg



#### Bottle holder

- Holder for two small bottles or one 1.5 l PET bottle
- For flexible attachment in the system groove in the HR mounting profile

Order no.	W x D x H (mm)
73308500	210 x 125 x 130



# FANTASTIC







# MODUL 5000



Take a look at our  
extensive range  
of accessories from  
page 69!




## MODUL 5000

The design is exceptional, ergonomic, and has received international awards. Its intelligent construction enables even the basic configuration of the MODUL 5000 to be easily adapted to accommodate personal requirements for working seated or standing up. If required, the working level can also be adjusted using a crank mechanism or really conveniently with an electric motor.

- Sturdy steel table
- Worktop 2000 x 880 x 38 mm
- 200 kg surface load capacity
- Light grey worktop, coated with melamine resin
- Steel components with powder-coated finish, anthracite RAL 7016, ruby red RAL 3003
- Simple height adjustment at 50 mm intervals (720-1070) without tools
- Optional height adjustment with a crank or electric motor
- Extensive range of accessories
- Tables with an integrated scale and/or roller track



 **QUALITY  
MADE  
IN GERMANY**



The MODUL 5000 is also ideal as an office workplace. Its "floating table top" means that there are no table legs to get in the way when you're sitting at it. The attractive design blends into every modern office landscape.



# MODUL 5000



## Maximalistic



The MODUL 5000 can also be equipped as a dual order picking and packing station. The top level serves as a cardboard storage rack, while the picking products are readily available underneath it on a slanting shelf. The counting scale integrated in the packing table features a PC interface as well as printer and scanner ports.

The integrated pneumatic lift table moves packing items weighing up to 60 kg and allows for effortless order picking or packing. The products are conveniently transported to the conveyor system over the roller track table standing next to the station. This prevents muscle and back ailments, a frequent cause of incapacity for work.

## Ergonomics and design

The MODUL 5000 packing table with integrated roller track is a real highlight. The work surface made of galvanised sheet steel also offers enough space to "fix" even large cartons. The table height can be adjusted to between 770 and 1120 mm. This enables you to integrate it in your order picking and packaging processes.

- Ergonomic intersection for an uninterrupted flow of goods
- Integrated roller track
- Height adjustment at 50 mm intervals (720-1070)
- Optional height adjustment with a crank or electric motor
- Exceptional and ergonomic design
- Ergonomic positioning of the accessories by means of the inclined uprights






The tables from the MODUL 5000 programme have an adjustable height of 720-1070 mm: manually at 50 mm increments, or infinitely with a crank or electric motor!

# MODUL 5000


## Special features at a glance:

- An exceptional and ergonomic design that has received international awards.
- Can be quickly and easily adapted to accommodate personal requirements for working seated or standing up.. The working level can also be adjusted as required with a crank mechanism or electric motor.
- The modular system can be expanded and adapted for new requirements whenever necessary with elements from the extensive range of accessories. This assures you long-term security for your investment.
- Also available in combination with an integrated scale and roller track.
- With the MODUL 5000, we and our distribution partners can also offer you custom solutions for your own requirements.



Alongside high quality standards, being located in Germany also means that we can guarantee short delivery times and efficiently supply accessories and spare parts.


## Basic MODUL 5000



### MODUL 5000 packing and work table

- Base frame and table support arms made of 100 x 40 mm tubular steel
- 38 mm table top, height adjustable at 50 mm intervals (720-1070 mm)
- Laminated with light grey plastic, with non-reflecting surface and rounded edges
- Max. surface load 200 kg

Order no.	W x D x H (mm)
503000	2000 x 1040 x 1330



### MODUL 5000 packing and work table

- Base frame and table support arms made of 100 x 40 mm tubular steel
- 38 mm table top, height can be adjusted using insertable crank (720-1070 mm)
- Laminated with light grey plastic, with non-reflecting surface and rounded edges
- Max. surface load 200 kg

Order no.	W x D x H (mm)
503500	2000 x 1040 x 1330



### MODUL 5000 packing and work table

- Pushbutton-controlled, infinitely variable height adjustment 720-1070 mm, with cable duct
- Max. load when adjusting 100 kg
- Electrical connection 230 V, 50 Hz
- Max. surface load 200 kg

Order no.	W x D x H (mm)
503800	2000 x 1040 x 1330



### Packing and work table with scale

- With integrated calibrating digital carton scale
- For max. 60 kg, incl. PC interface
- Scale division 20g
- Stainless steel platform
- With separate display unit

Order no.	W x D x H (mm)
503042 Weight 110 kg	2000 x 1040 x 1330
503542 Adjustable height with crank 720-1070 mm	2000 x 1040 x 1330
503842 Electric height adjustment 720-1070 mm	2000 x 1040 x 1330



### Roller track table with work surface

- Height adjustment at 50 mm intervals (770-1070)
- Packing table with integrated roller track
- Roller width 600 mm
- Work surface 2000x265 mm
- Made of galvanised sheet steel
- Design as for table 503000
- Compatible with accessories for the MODUL 5000


Order no.	W x D x H (mm)
503010 Height adjustment at 50 mm intervals 770-1120 mm	1955 x 1040 x 1330
503510 Height adjustment with crank 770-1120 mm	1955 x 1040 x 1330
503810 Electric height adjustment: 770-1120 mm	1955 x 1040 x 1330



### Roller track table with work surface


- With integrated digital carton scale for max. 60 kg, calibrated
- With separate display unit
- Supplied with interface cable
- Work surface 1955 x 251 mm, made of galvanised steel
- Roller width 600 mm, spacing 75 mm, diameter 50 mm
- Base frame and table support arms made of 100 x 40 mm tubular steel

Order no.	W x D x H (mm)
503012 Height adjustment at 50 mm intervals 770-1120 mm	1955 x 1040 x 1330
503512 Height adjustment with crank 770-1120 mm	1955 x 1040 x 1330
503812 Electric height adjustment: 770-1120 mm	1955 x 1040 x 1330



### End stop for roller track

Order no.	W x D x H (mm)
203541	600 x 10 x 100



### Equipment stand


- Adjustable height 570-1070 mm
- Height adjustment at 50 mm intervals
- 38 mm table top
- Max. load capacity 100 kg

Order no.	W x D x H (mm)
5090	800 x 840 x 1330



## Accessories above the table


### MODUL 5000



#### Uprights

- For attachment to the top table extensions
- With perforations for attaching various shelves
- Different levels
- Weight 8 kg

Order no.	W x D x H (mm)
5064	40 x 95 x 950



#### Storage shelf

- For packing materials, forms, etc.
- For attachment in the perforations in the top upright
- Max. surface load 70 kg
- Steel frame with shelf
- Weight 18 kg


Order no.	W x D x H (mm)
505000	1705 x 400



#### Storage shelf

- For mounting on tubular cross members
- Max. surface load 50 kg
- Weight 17 kg


Order no.	W x D x H (mm)
5051	1705 x 295



#### Add-on storage rack

- With 9 steel wire dividers
- For attachment at varying heights in the perforations of the top upright
- Max. surface load 100 kg
- Space for approx. 160 folding cartons
- Weight 28 kg

Order no.	W x D x H (mm)
505300	1705 x 550 x 40



#### Bracket for scale display unit

- For mounting on tubular cross members
- Weight 1 kg

Order no.	W x D x H (mm)
5091	120 x 92 x 42




#### Workplace lighting

- Anti-glare workplace lighting
- Lamp casing made of anodised aluminium
- 2.9 m connecting cable and earthing contact plug
- For attachment to add-on storage rack 505300, storage shelf 505000 or holder 507001
- Compact fluorescent lamps 2 x 36 W, 230V

Order no.	W x D x H (mm)
207000	900 x 135 x 60 Weight 4 kg
507001 Brackets for attachment to upright 5064	1720 x 40 x 40


## Accessories on and underneath the table MODUL 5000



### Backboard

- For rear confinement on the table top
- Material as for table top 503000
- Simple clamp attachment to the rear edge
- Weight 4 kg

Order no.	W x D x H (mm)
5060	1705 x 85



### Cable duct

- With screw-mounted cover and flexible plastic cable guide
- Only for table 503000
- Not for use with article 5035xx


Order no.	W x D x H (mm)
5075	1680 x 155 x 185



### Lockable drawer

- For use on right and left underneath table
- Plastic guide rail with drawer stop
- Load capacity 20 kg
- Weight 8 kg


Order no.	W x D x H (mm)
5006	475 x 570 x 100



### Undertable storage rack, short

- Mobile and lockable
- 6 steel wire dividers
- Space for approx. 100 folding cartons
- Max. surface load 50 kg
- Weight 20 kg


Order no.	W x D x H (mm)
5042	1110 x 550 x 480



### Undertable storage rack, long

- Mobile and lockable
- 9 steel wire dividers
- For approx. 160 folding cartons
- Max. surface load 50 kg
- Weight 32 kg


Order no.	W x D x H (mm)
5043	1705 x 550 x 480



### Bottom shelf

- Mobile with 4 lockable castors
- Max. surface load 50 kg
- Weight 33 kg

Order no.	W x D x H (mm)
5009	1600 x 700 x 100



### Container with drawer

- Mobile and lockable
- Drawer with lock and stopper
- For waste disposal
- Load capacity of container: 40 kg

Order no.	W x D x H (mm)
5008	555 x 760 x 665

## IT accessories

### MODUL 5000

1.



#### TFT support carriage

- For flexible attachment of a TFT monitor to the supporting column
- Load capacity 12 kg

Order no.	W x D x H (mm)
509202	100 x 125 x 115 Weight 1 kg

2.



#### Keyboard and mouse platform with folding arm

- For flexible attachment to the supporting column or adapter
- Load capacity 10 kg
- Weight 1 kg

Order no.	W x D x H (mm)
509201	Shelf size 640 x 172 mm

3.



#### TFT folding arm

- For flexible attachment of a TFT monitor to the supporting column
- VESA 75/100 quick-release attachment

Order no.	W x D x H (mm)
509203 Load capacity 5 kg	100 x 455 x 115 Weight 1.6 kg
509204 Load capacity 15 kg	100 x 455 x 200 Weight 2.1 kg

4.




#### Support column with screw clamp

- For attaching a TFT folding arm and a keyboard tray
- Aluminium profile with clamp attachment

Order no.	W x D x H (mm)
509001 Clamping range (mm) 14-40	51 x 51 x 445 Weight 1.5 kg
509002 Clamping range 5-65 mm	51 x 51 x 445 Weight 2 kg

5.




#### Keyboard tray

- Adjustable slanting tray with non-slip rubber coating
- For attachment to storage shelf 5050/5051 or multi-purpose tray 5081
- Weight 8 kg

Order no.	W x D x H (mm)
5085	420 x 570

6.



#### Multi-purpose tray

- For mounting on tubular cross members
- Load capacity 15 kg
- Weight 3 kg

Order no.	W x D x H (mm)
5081	315 x 240 x 130

7.



#### 4-socket outlet

- Incl. 2.90 m connecting cable
- Weight 1 kg

Order no.	W x D x H (mm)
5074	61 x 45 x 304

# Ergonomic accessories and lifting aids

## MODUL 5000

Information  
about ergo-  
nomics from  
page 6



**Floor mat made of soft PVC**

- With grid gaps

Order no.	W x D x H (mm)
600003	1000 x 600 Weight 4 kg
600001	1500 x 600 Weight 6 kg
600002	2000 x 600 Weight 8 kg



**Ergonomic workplace mat**

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface


Order no.	W x D x H (mm)
600004 Dry version	1350 x 1000 x 16 Weight 19 kg
600005 Wet version	1350 x 1000 x 16 Weight 18 kg



**Ergonomic workplace mat**

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface

Order no.	W x D x H (mm)
600014 Basic slim version	1000 x 650 x 10 Weight 6 kg
600015 Basic grip version	1000 x 650 x 13 Weight 7 kg



**Ergonomic workplace mat**

- Puzzle joint
- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface

Order no.	W x D x H (mm)
600007 Puzzle variant D	1300 x 1000 x 16 Weight 30 kg
600009 Puzzle variant E	1240 x 1000 x 16 Weight 15 kg



**ErgoPlus 3000 standing aid**

- Incl. foot rest
- Infinite adjustment of the seat cushion
- Collapsible
- Weight 12 kg

Order no.	W x D x H (mm)
519192	670 x 500 x 1100



**Saddle stool**

- Ergonomic saddle seat
- Seat tilt adjustment
- Adjustment range 630-890 mm
- Weight 10 kg

Order no.	W x D x H (mm)
852086	478 x 445 x 660



**Ergonomic swivel chair**

- Seat and back: synthetic leather upholstery
- Adjustment range 500-570 mm
- 360° module for "moving" sitting with individually adjustable spring force
- Cruciform base: plastic, black RAL 9005 with load-dependent, braked soft castors
- IGR-certified
- Weight 14 kg

Order no.	W x D x H (mm)
852087	450 x 440 x 500



**Footrest**

- With inclining tread surface

Order no.	W x D x H (mm)
5185	470 x 370 x 120



**Footrest**

- Variable height 110-320 mm
- Moveable plastic tread plate
- Adjustable angle: 0°-30°
- Weight 7 kg

Order no.	W x D x H (mm)
852038	520 x 375 x 140





#### Packing and order picking trolley

- Height adjustment with gas pressure cylinder
- Max. load capacity 30 kg
- Weight 52 kg

Order no.	W x D x H (mm)
209040	680 x 870 x 670-960



#### Pneumatic lift table

- Allows effortless lifting and lowering of heavy cartons
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg
- Weight 50 kg

Order no.	W x D x H (mm)
209100	600 x 600 x 500-710



#### Pneumatic lift table, stainless steel platform

- Stainless steel platform WxD 450 x 600 mm
- Lift height 500 mm
- Incl. foot switch
- Table prepared for bolting to floor
- Mounting materials not included
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg

Order no.	W x D x H (mm)
209101 Lift height 200-700 mm	450 x 735 x 1275



#### Pneumatic lift table, stainless steel platform

- Stainless steel platform WxD 450 x 600 mm
- Lift height 500 mm resp. 700 mm
- Incl. foot switch
- Table with pedestal base
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg

Order no.	W x D x H (mm)
209103 Lift height 250-750 mm	450 x 845 x 1320
209104 Lift height 250-950 mm	450 x 840 x 1720



#### Container with drawer

- Mobile and lockable
- Drawer with lock and stopper
- For waste disposal
- Load capacity of container: 40 kg

Order no.	W x D x H (mm)
5008	555 x 760 x 665

## Other accessories

### MODUL 5000



#### Cut-resistant overlay

- Transparent
- For traceless cuts
- Lightly anti-slip surface

Order no.	W x D x H (mm)
509400	900 x 600 x 3 Weight 2 kg



#### Cut-resistant overlay

- Protects parts of the worktop against damage from mechanical strain
- Bonded to worktop with the supplied adhesive pads

Order no.	W x D x H (mm)
203095 Stainless steel	1000 x 800 x 2 Weight 13 kg
203096 Galvanised sheet steel	1000 x 800 x 2 Weight 12 kg



#### Waste container made of PP cavity sheeting

- Mould and moisture-proof
- For hygienic applications, no fibre formation on the surface
- Shock-absorbing
- Set = 2 pcs.

Order no.	W x D x H (mm)
2056	600 x 500 x 600



#### Slice - Auto-Retractable Box Cutter

- Incl. one double-sided ceramic blade
- Automatically retractable blade
- 8-10 times sharper than a steel blade
- Easy blade change
- Injury-proof handling

Order no.	W x D x H (mm)
99090238	



#### Solo Lift Pro carry aid

- Practical, single-handed lifting aid for small, light boxes

Order no.	W x D x H (mm)
99090233	



#### Dual Lift Pro carry aid

- With 2 belt pouches
- Safe lifting of large and heavy cartons through effective load distribution

Order no.	W x D x H (mm)
99090234	



#### Display panel holder with magnetic attachment

- Display panel holder with 5 display panels, black
- Metal wall holder with magnetic back

Order no.	W x D x H (mm)
591401	



#### Display panel holder as table stand-up display

- Complete set made of powder-coated steel for table top use
- L-shaped, metal table stand-up display with 10 display panels, assorted colours

Order no.	W x D x H (mm)
557000	



#### A4 display panel

- 5 display panels
- Polypropylene display panels with black all-round profile frame
- For DIN A4 info sheets


Order no.	W x D x H (mm)
560601	



**Mobile hanging frame**

- 360° swivel mounting


Order no.	W x D x H (mm)
2046	1050 x 700 x 2100-3500 Weight 50 kg
802045 Extension strut with bracket	Weight 2 kg



**Mobile cardboard storage rack**

- Two levels
- With handle

Order no.	W x D x H (mm)
2042-2 Cardboard storage rack, short For approx. 200 folding cartons	1015 x 600 x 1260 Weight 42 kg
2043-2 Cardboard storage rack, long, For approx. 320 folding cartons	1600 x 600 x 1260 Weight 58 kg



**Mobile cardboard storage rack**

- Three levels
- With handle

Order no.	W x D x H (mm)
2042-3 Cardboard storage rack, short For approx. 300 folding cartons	1015 x 600 x 1860 Weight 64 kg
2043-3 Cardboard storage rack, long, For approx. 480 folding cartons	1600 x 600 x 1860 Weight 88 kg

# MODUL 5100    MODUL 5200

 **QUALITY  
MADE  
IN GERMANY**



Whether as a QM station, workshop trolley, standing workplace or mobile information stand, these two systems are extremely versatile just like all our other products. The mobile version is delivered with 4 castors (2 lockable).



## Basic MODUL 5100



### Standing/seating workplace, complete

- Comprising:  
Standing table, max. load capacity 200 kg  
Storage shelf, top, max. load capacity 50 kg  
Drawer, load capacity 20 kg  
Storage shelf, bottom, max. load capacity 50 kg  
Multi-purpose shelf, load capacity 15 kg  
Runners
- Weight 85 kg

Order no.	W x D x H (mm)
510010	800 x 750 x 1330



### ErgoPlus 3000 standing aid

- With infinite adjustment of the backrest and seat cushion 600-900 mm
- Collapsible
- Weight 12 kg

Order no.	W x D x H (mm)
519192	670 x 500 x 1100

## Basic MODUL 5200



### Standing workplace / QM station

- With information board
- Metal shelf and tray for small utensils
- Max. surface load of shelf 50 kg
- Load capacity of drawer 35 kg
- Weight 53 kg

Order no.	W x D x H (mm)
531003	670 x 650 x 1765



### Standing workplace / QM station

- With information board
- Metal shelf and drawer for suspension files
- Max. surface load of shelf 50 kg
- Load capacity of drawer 35 kg
- Weight 53 kg

Order no.	W x D x H (mm)
531004	670 x 650 x 1765



### Standing workplace / QM station

- With information board
- Metal shelf and filing cabinet
- Max. surface load of shelf 50 kg
- Load capacity of cabinet 35 kg
- Weight 46 kg

Order no.	W x D x H (mm)
531005	670 x 650 x 1765



### Standing workplace / QM station

- With information board
- Metal shelf and tray for small utensils
- Max. surface load of shelf 50 kg
- Load capacity of drawer 35 kg
- Weight 65 kg

Order no.	W x D x H (mm)
531007	1050 x 650 x 1765



### Standing workplace / QM station

- Wide with table top
- Metal shelf and information board
- Max. surface load per drawer 50 kg
- Weight 51 kg

Order no.	W x D x H (mm)
531001	1050 x 650 x 1765



### Standing workplace / QM station

- Narrow with whiteboard incl. pen set
- Metal shelf and filing cabinet
- Max. surface load of shelf 50 kg
- Load capacity of cabinet 35 kg
- Weight 46 kg

Order no.	W x D x H (mm)
531009	670 x 650 x 1765

Basic  
MODUL 5200



Mobile packing station

- Narrow, mobile, two-sided
- With wide wooden shelf, metal shelf and add-on storage rack

Order no.	W x D x H (mm)
531010N	1050 x 1060 x 1800
527109 VESA 75/100 holder for TFT monitor	610 x 282

# Cutting systems

## For better cutting results

Choose from our proven cutting systems with dispenser for roll material (such as paper, cardboard or foil) for use either as a stand-alone cutting station or right next to the packing workplace.

The machinery quickly pays for itself since roll material is cheaper than cuttings. Not only that, but it also makes the dangerous and time-consuming handling of knives and scissors superfluous.

We supply two cutter cartridges - as standard!



 **QUALITY  
MADE  
IN GERMANY**



The cutter cartridges can be exchanged without any effort. The round cutter for paper, cardboard, etc., the blade for all soft foil. A clamping mechanism allows comfortable insertion of the material and safe holding after every cut.



## Cutter stand, horizontal



### Cutter stand, horizontal

- Dispensing height 890 mm
- Max. roll weight 200 kg
- Max. roll Ø 1000 mm

Order no.	Cutting width mm	W x D x H (mm)
55307	750	1090 x 970 x 1060
55310	1000	1340
55312	1250	1590
55316	1600	1940



### Dual cutter stand

- Dispensing height 890/1215 mm
- Max. weight per roll 150 kg
- Max. roll Ø 750 mm

Order no.	Cutting width mm	W x D x H (mm)
55407	750	1090 x 970 x 1060
55410	1000	1340
55412	1250	1590
55416	1600	1940



### Undertable cutter

- Mobile
- Dispensing height 580 mm
- Max. roll weight: 200 kg
- Max. roll Ø 750 mm

Order no.	Cutting width mm	W x D x H (mm)
25507	750	1000 x 880 x 740
25510	1000	1250
25512	1250	1500
25516	1600	1850



### Cutter stand, horizontal

- For light rolls
- Infinitely adjustable dispensing height
- Max. roll weight 100 kg
- Max. roll Ø 800 mm

Order no.	Cutting width mm	W x D x H (mm)
26207N	750	1120 x 920 x 1165
26210N	1000	1370
26212N	1250	1620
26216N	1600	1970
26218N	1800	2170
26220N	2000	2370



### Cutter stand, for 2 rolls

- For light rolls
- Infinitely adjustable dispensing height
- With one cutter
- Max. total roll weight 130 kg
- Max. roll Ø 800 mm

Order no.	Cutting width mm	W x D x H (mm)
26507	750	1120 x 920 x 1665
26510	1000	1370
26512	1250	1620
26516	1600	1970
26518	1800	2170
26520	2000	2370



### Dual cutter stands

- For light rolls
- Infinitely adjustable dispensing height
- With two cutters
- Max. total roll weight 130 kg
- Max. roll Ø 800 mm

Order no.	Cutting width mm	W x D x H (mm)
26407	750	1120 x 920 x 1665
26410	1000	1370
26412	1250	1620
26416	1600	1970
26418	1800	2170
26420	2000	2370



### Undertable cutter, mobile

- Dispensing height 544 mm
- Max. roll weight 200 kg
- Max. roll Ø 750 mm

Order no.	Cutting width mm	W x D x H (mm)
55507	750	1090 x 970 x 810
55510	1000	1340
55512	1250	1590
55516	1600	1940



## Cutters, wall-mounted and table version



### Wall-mounted cutter:

- Spindle Ø 32 mm
- Max. roll weight: 80 kg
- Max. roll Ø: 250 mm

Order no.	Cutting width mm	W x D x H (mm)
25907	750	1000 x 400 x 430
25910	1000	1250
25912	1250	1500
25916	1600	1850

### Wall-mounted cutter:

- Spindle Ø 32 mm
- Max. roll weight: 200 kg
- Max. roll Ø: 500 mm

Order no.	Cutting width mm	W x D x H (mm)
26007	1000	1000 x 670 x 570
26010	1250	1250
26012	1500	1500
26016	1850	1850
26018	2000	2050
26020	2250	2300



### Table top cutter:

- Spindle Ø 32 mm
- Max. roll weight: 80 kg
- Max. roll Ø: 250 mm

Order no.	Cutting width mm	W x D x H (mm)
25607	750	1000 x 360 x 350
25610	1000	1250
25612	1250	1500
25616	1600	1850

### Table top cutter:

- Spindle Ø 32 mm
- Max. roll weight: 200 kg
- Max. roll Ø: 500 mm

Order no.	Cutting width mm	W x D x H (mm)
25707	750	1000 x 600 x 470
25710	1000	1250
25712	1250	1500
25716	1600	1850

## Cutter stand, vertical



### Cutter stand, vertical

- Max. roll weight: 200 kg
- Max. roll Ø 450 mm

Order no.	Cutting width mm	W x D x H (mm)
35010	1000	480 x 580 x 1300
35012	1250	1550
35016	1600	1900



### Cutter stand, vertical

- Max. roll weight: 200 kg
- Max. roll Ø 800 mm

Order no.	Cutting width mm	W x D x H (mm)
35110	1000	800 x 880 x 1300
35112	1250	1550
35116	1600	1900
35118	1800	2100
35120	2000	2300

# Roll dispensers and add-on cutter



**Mobile roll dispenser**

- Max. roll weight: 200 kg
- Max. roll Ø 750 mm

Order no.	Roll width mm	W x D x H (mm)
53107	750	1090 x 770 x 680
53110	1000	1340
53112	1250	1590



**Mobile roll dispenser**

- Max. roll weight: 200 kg
- Max. roll Ø 750 mm

Order no.	Roll width mm	W x D x H (mm)
23207	750	1000 x 840 x 500
23210	1000	1250
23212	1250	1500



**Mobile roll dispenser**

- Max. roll weight: 200 kg
- Max. roll Ø 500 mm

Order no.	Roll width mm	W x D x H (mm)
23107	750	1000 x 600 x 400
23110	1000	1250
23112	1250	1500




**Add-on cutter**

- Max. clamping range 70 mm
- Suitable for 203000 and 503000
- 57112 is only suitable for 203000

Order no.	Cutting width mm	W x D x H (mm)
55107	750	1033 x 250 x 280
55110	1000	1283
55112	1250	1533
55116	1600	1883

## Cutter stand accessories



### Bearing shells for roll spindles

- For undertable installation of SYSTEM 2000
- Horizontal
- Weight 0.5 kg

Order no.	W x D x H (mm)
23800	



### Spindle set, complete

- Spindle tube diameter 32 mm, for roll widths up to 1600 mm
- 1 pair of cones for core diameters 50 - 85 mm
- 4 clamp rings for adjusting the roll
- Incl. for tables with a clear width of 1640 mm

Weight 3 kg

Order no.	W x D x H (mm)
23900	1850 x 32 mm Ø



### Metre counter

- Suitable for cutter stands 262, 264, 265, 553, 554

Order no.	Roll width mm	W x D x H (mm)
256075	750	1000 x 155 x 155
256100	1000	1250
256125	1250	1500
256160	1600	1850
256180	1800	2050
256200	2000	2250



### Roll stand with tear-off mechanism

- For pre-perforated material
- Castors not included
- Max. roll weight 100 kg
- Max. roll Ø 800 mm

Order no.	Roll width mm	W x D x H (mm)
26207 AV	750	1120 x 920 x 1165
26210 AV	1000	1370
26212 AV	1250	1620
26216 AV	1600	1970
26218 AV	1800	2170
26220 AV	2000	2370



### Add-on winding unit

- Incl. hand crank
- Spindle and cones for core diameters 46 - 60 mm

Order no.	Suitable for
252507	26207N / 26407 / 26507
252510	26210N / 26410 / 26510
252512	26212N / 26412 / 26512
252516	26216N / 26416 / 26516
252518	26218N / 26418 / 26518
252520	26220N / 26420 / 26520



### Roll runners for devices 553...

- With 4 castors, 2 of which are lockable

Order no.	W x D x H (mm)
5554 roll runners for devices 553... Load capacity per roll 75 kg	52 x 650 x 100 Weight 3 kg
23601 Castors for devices 262..., 265..., 264... With 4 castors, 2 of which are lockable Load capacity per roll 70 kg	Weight 1 kg

## Pneumatic cutter

The pneumatically powered cutter is used solely for cutting packing materials such as paper, tissue paper, kraft paper, corrugated cardboard, anti-rust paper, soft flat film, foam sheets, air bubble film, tubular film, etc.

Foam sheets can have a maximum thickness of 6 mm, air bubble film 10 mm.

Special and kraft paper with a grammage of more than 180 g/m<sup>2</sup> have to be tested for their cutting suitability. This also applies for flat and tubular film with a thickness of over 0.2 mm.



- Safe usage and ergonomic handling, especially for large cutting widths
- Consistent cutting quality
- Low fatigue, even for greater volumes, practicable for large widths (up to 1600 mm cutting width)



### Pneumatic cutter stands, horizontal

- Compressed air connection 6 bar (max.)
- Max. roll weight: 200 kg
- Max. roll Ø 750 mm

Order no.	Cutting width mm	W x D x H (mm)
57310	1000	1730 x 970 x 1060
57312	1250	1980
57316	1600	2330



### Pneumatic add-on cutter

- For rear edge of table
- Max. clamping range 70 mm
- Suitable for 203000 and 503000
- 57112 is only suitable for 203000

Order no.	Cutting width mm	W x D x H (mm)
57107	750	1480 x 235 x 200
57112	1250	1980



The cutting speed is adjustable. Approx. 1.5 m/sec (factory setting)

# ZA 530 automatic cutting

The ZA 530 automatic cutting machine offers flexible production sizes for various materials such as film, paper, corrugated cardboard or foam. The high cutting quality at the press of a button is the result of proven cutting technology with a chain drive.



 **QUALITY  
MADE  
IN GERMANY**

## Features:

- Control panel with touch screen, plain text operator guidance and fully revised service menu
- Enclosed assemblies and modern bearing technology for low noise emission levels
- High availability thanks to the machinery's fast set-up and service times
- Electronic feed monitoring incl. slip compensation
- Circular cutter and blade
- Material end control
- If you require further options and custom adaptations - just give us a call!



The two-sided hold-down bar allows the processing of many different materials.


Send us your test samples!





## Special features at a glance:


- FLEXIBLE**  
The ZA 530 cutting machine enables you to cut roll material in the exact size and quantity you require.
- FAST**  
You can conveniently save frequently required sizes and quantities and select them when needed at the press of a button. The state-of-the-art Siemens control technology equips the ZA 530 with the very latest technology.
- COST-EFFECTIVE**  
Buy inexpensive roll material instead of expensive cuttings. This eliminates the need to store materials in different sizes because you simply cut it according to your needs.
- MODULAR**  
The modular design of the machine assures long-term security for your investment. It can be adapted and retro-fitted to accommodate changing requirements whenever necessary.



Alongside high quality standards, being located in Germany also means that we can guarantee short delivery times and efficiently supply accessories and spare parts.

# Notes

# Sketches



# Product features

## Comparison chart

	BASIC	SYSTEM 1600 Complete station	SYSTEM 2000	SYSTEM FLEX	MODUL 5000
Table width 1200			●	●	
Table width 1600	●	●	●	●	
Table width 2000	●		●	●	●
Table depth	800	800	920:S2000 800:S1200/1600	800	880
Uprights for accessories, straight	●	●	●	●	
Uprights for ergonomically inclined				●	●
Add-on elements fixed in centre of table	●	●	●	●	●
Variably positionable add-on elements				●	
Variably angled add-on elements				●	
Adjustable height		●	●	●	●
Height adjustment by crank		●	●		●
Height adjustment by motor		●	●	●	●
IGR certification „Ergonomic Product“				●	
Ergonomic accessories		●	●	●	●
Extensive range of accessories		●	●	●	●
Matching cutters	○ <sup>1</sup>	●	●	○ <sup>2</sup>	●
Simple conversion /adaptation				●	

<sup>1</sup> Limited selection

<sup>2</sup> All SYSTEM 2000 and MODUL 5000 series cutters can be used.




FachPack



FachPack 2015



LogiMAT





AplusA



You can convince yourself about the quality of our products at trade exhibitions (upcoming dates can be found on our website) or your local dealer. Of course, you can also visit our showroom together with your dealer. We look forward to seeing you!





We reserve the right to change dimensions, weights or colours, or to alter the designs. This catalogue is protected by copyright. Reproduction - even of extracts - is permissible only with the written consent of the publisher.

Illustrations partially show accessories and decorative materials which are not supplied. Please refer to the product description for the actual scope of delivery.

Illustrative material used in this catalogue:

istockphoto.com: 9283747; digital planet design - 9282058; digital planet design - 16080476; Johnny Greig - 19569525; 4x6 fotolia.de: 39846467; drubig-photo  
With the appreciated support of: Josef Blässinger GmbH + Co. KG, Banholzer und Wenz GmbH, TGW Logistik Group GmbH, Betriebseinrichtungen Lenz UG, myToys.de GmbH

 **star-pack**  
études et réalisations d'emballages



40 Chemin de Gérocourt - ZI du Coudrier - 95650 Boissy-l'Aillerie - France

Tél: +33(0)1.34.42.18.18 - Fax: +33(0)1.34.42.15.31

Site internet : [www.star-pack.fr](http://www.star-pack.fr) - E-mail : [info@star-pack.fr](mailto:info@star-pack.fr)